



SINCE 1983.



# PRODUCT CATALOGUE

02/2024EN

RUSAN - MIKRON d.o.o.  
Hum Bistrički 142a  
HR-49246 Marija Bistrica  
Croatia

[www.rusan.hr](http://www.rusan.hr)  
[sales@rusan.hr](mailto:sales@rusan.hr)  
Tel: +385 (0) 49 301 692  
Mob: +385 (0) 99 525 3488 (WhatsApp, SMS)



# CONTENT

## **ADAPTERS FOR N/V AND THERMAL CLIP-ON DEVICES ..... 5**

Modular adapter system .....	6
Modular adapter – clamp.....	6
Modular adapter – connector .....	9
Modular adapter – accessories .....	11
Conventional adapter clamps .....	12
Reduction rings for other threads/devices .....	20
Adapters for Pard.....	22
Reduction rings for oculars (eyepieces) .....	23
Adapters accessories and spare parts .....	25

## **SCOPE RINGS ..... 29**

Weaver rings .....	30
Picatinny rings.....	31
Picatinny lightweight rings .....	32
Roll-off rings Tikka T3/T3x.....	33
Roll-off rings Steyr SSG 69.....	34
Roll-off rings prism 11 mm .....	35
Roll-off rings prism 14.5 mm .....	36
Roll-off rings prism 16.5 mm (CZ 527) .....	37
Roll-off rings prism 19 mm (CZ 550/557) .....	38

## **SCOPE MOUNTS ..... 41**

Pivot mounts .....	41
Mounts for Blaser.....	54
Mounts for Sauer 404 .....	56
Mounts for Steyr SSG.....	58
Roll-off mounts with extension (prism) .....	59
Mounts for combination rifles (dovetail) .....	62
Picatinny mounts for NV and Thermal devices .....	64
Weaver and picatinny mounts for mounting rails .....	65
Mounts for Merkel RX Helix .....	66
Mounts for red dots.....	67
Mounts for PAP/SKS.....	68
Mounts for Swiss K31 .....	69

## **PICATINNY RAILS ..... 71**

## **WEAVER BASES (PAIR)..... 78**

## **OTHER PRODUCTS..... 81**



# ABOUT THE COMPANY

**Rusan is well known European manufacturer** of adapter clamps for clip-on sights and many types of scope mounts, scope rings, picatinny rails and other tuning products for guns. All products are made in high quality, in terms of high-grade materials, best surface finish and continuous quality control, by keeping the extra positive ratio between price and quality at the same time. Rusan products are finding its way to customers through the whole world, from Norway to Saudi Arabia, South Africa and Australia thanks to our large network of distributors and dealers.

## **Advantage of Rusan over other scope mounts producers**

The whole cycle of new products, from development to the usage, is done in the house. Because of the biggest and most equipped gunsmith shop in SE Europe and own underground shooting range, all products are tested during the process of development. Each day own products are mounted on customers guns and zeroed-in.

**Company's main care is our customer satisfaction with quality and quick delivery.**

## **HISTORY AND FACTS**

**1983.** Rusan family had metal processing company

**1986.** Mr. Željko Rusan started his own gunsmith shop

**1993.** start of scope mounts production

**1998.** first CNC machine

**2009.** development and launch of famous Rusan adapter clamp for clip-on sights

**2013.** start of increase in sales and rapid growth as Croatia enters Europe union

**2024.** 22 modern CNC machines, 55 employees, products exported all over the world



# ADAPTERS FOR N/V AND THERMAL CLIP-ON DEVICES

In this section you can find wide range of adapter clamps for Night Vision and Thermal devices. There are also optional accessories for adapters, magnification oculars, thread reducing rings and spare parts for adapters.

## General

clamping length of the most Rusan adapters is 37 mm. Some models/sizes have different clamping length.

## Adapter model

### Most adapter sizes in all models

ARM from 30 up to 34  
MAR from 30 up to 34  
ARM 30SR , 30ZM, 36ZM  
MAR 30SR , 30ZM, 36ZM  
MAR-SH-xx / ARM52S-xx (short versions)

## Clamping length


**37 mm**  
27 mm  
27 mm  
27 mm  
27 mm  
24 mm

## Adapter clamps for riflescopes with mounting rail

### Product code

### suitable for

30SR-T	Swarovski with SR rail (tube 30 mm)
30ZM-1	Zeiss Conquest V6 1.1-6x24 with rail
30ZM-2	Zeiss Diavari-ZM 1,25-4x24 / Varipoint VM 1,1-4x24 with rail
30ZM-3	Leica Magnus 1-6,3x24i / Fortis 6 1-6x24i with rail
30ZM-4	Zeiss Victory V8 1.1-8x24 with rail
34SR	Swarovski Z8i+ 1-8x24 with rail (tube 34 mm)
36ZM	Zeiss Victory V8 1.1-8x30 with rail



### Adapter clamp size explanation

Rusan adapter clamps are marked by its exact diameter which is equal to outside diameter of riflescopes objective tube. So, it is NOT referred to lens size.



If adapter clamp of small size (47 mm and smaller) is used with clip-on device which has bigger lens which is sticking out of the thread (for example Dedal 552, 545...), adapter clamp needs to be combined with Extension ring M52x0.75 / M52x0.75 (product code ERD552).

# MODULAR ADAPTER CLAMP

PRODUCT CODE	MAR-SIZE	MAR-FX- SIZE	MAR-SIZE-S	MAR-SH-SIZE
--------------	----------	--------------	------------	-------------







DESCRIPTION	QUICK-RELEASE	FIXED (3 screws)	FIXED (one screw instead of Quick-release lever)	QUICK-RELEASE, SHORT VERSION
-------------	---------------	------------------	---	---------------------------------

## AVAILABLE SIZE

30	•	•	•	
30SR-T	•	•	•	
30ZM-1	•	•	•	
30ZM-2	•	•	•	
30ZM-3	•	•	•	
30ZM-4	•	•	•	
34	•	•	•	
34SR	•	•	•	
36	•	•	•	
36ZM	•	•	•	
38	•	•	•	
39.2	•	•	•	
40	•	•	•	
41	•	•	•	
42	•	•	•	
42.5	•	•	•	
44	•	•	•	
46	•	•	•	
46.7	•	•	•	
47	•	•	•	
48	•	•	•	
49	•	•	•	



PRODUCT CODE	MAR-SIZE	MAR-FX- SIZE	MAR-SIZE-S	MAR-SH-SIZE
				
DESCRIPTION	QUICK-RELEASE	FIXED (3 screws)	FIXED (one screw instead of Quick-release lever)	QUICK-RELEASE, SHORT VERSION
AVAILABLE SIZE				
50	•	•	•	•
51	•	•	•	
52	•	•	•	
52.5	•	•	•	
53	•	•	•	
54	•	•	•	
55	•	•	•	
56	•	•	•	•
56.7				•
57	•	•	•	•
57.2	•	•	•	
57.5	•	•	•	
58	•	•	•	
58.4	•	•	•	
59	•	•	•	
60	•	•	•	
60.5	•	•	•	
61	•	•	•	
62	•	•	•	•
62.7				•
63	•	•	•	
63.5	•	•	•	
64	•	•	•	
64.5	•	•	•	
65	•	•	•	
66	•	•	•	
67	•	•	•	
68	•	•	•	
71	•	•	•	



DESCRIPTION	QUICK-RELEASE	FIXED (3 screws)	FIXED (one screw instead of Quick-release lever)	QUICK-RELEASE, SHORT VERSION
AVAILABLE SIZE				
73	•	•	•	
80	•	•	•	
68	•	•	•	
69	•	•	•	
70	•	•	•	
71	•	•	•	
72	•	•	•	
73	•	•	•	
75	•	•	•	
80	•	•	•	

For ordering you must enter desired code, for example you need adapter clamp with quick release, 30 mm diameter enter code MAR-30  
To have complete modular adapter system it is necessary to combine modular adapter clamp with proper modular adapter connector



Advantages of modular adapter system
using of one clip-on sight on few rifles
using of one rifle with more clip-on sights
combining of more clip-on sights with more rifles
exchanging between rifles/devices without losing precision
fast and easy mounting/dismounting in the darkness
even more precision than conventional adapter system
additional accessories like eyepiece rubber which converts clip-on into observation device
popular Rusan design with soft rubber pad inside
no need for rotation of clip-on device when locking it

Modular adapter - converter
<b>Product code: MAR-M52</b>
<b>Description</b> Converter from ARM52-dia to MAR-dia (Converts Rusan conventional clamp adapter to Rusan modular adapter system)

# MODULAR ADAPTER CONNECTOR

PRODUCT CODE	MCR-M52	MCR-M52P	MCR-HIK-2	MCR-M33.5	MCR-M33.5P
--------------	---------	----------	-----------	-----------	------------







THREAD	M52x0.75	M52x0.75	3 pin bayonet system	M33.5x0.75	M33.5x0.75
ORIENTATION*		yes			yes
SUITABLE FOR	many devices	many devices	Hikmicro Cheetah Hikmicro Thunder V.1 AGM Rattler GPO Spectra	Guide TAxxx Burris BTC JSA Nitehog Viper Steiner Nighth. C35 Lahoux Clip 35 & 50	Guide TAxxx Burris BTC JSA Nitehog Viper Steiner Nighth. C35 Lahoux Clip 35 & 50

PRODUCT CODE	MCR-M43P	MCR-FT32	MCR-M49	MCR-M46P	MCR-M35P
--------------	----------	----------	---------	----------	----------



THREAD	M43x0.75	Pard bayonet system	M49x0.75	M46x0.75	M35x1
ORIENTATION*	yes			yes	yes
SUITABLE FOR	Liemke Luchs 1 & 2 Liemke Merlin 35 Night Pearl Seer Cono Seer Leica Calnox 2	Pard FD1 Pard FT32 Pard FT62	Dipol DN-33/34/37 Dipol TFA 2.0/TFA 2.8 Dipol TFA1000/1200	ElectroOptic Nivex Lahoux DigiClip/PRO Lahoux Hemera Meopta Meonight Nitehog Caiman TIR-M50	Pulsar Krypton 1 & 2 Pulsar Proton

PRODUCT CODE	MCR-PF	MCR-PC	MCR-TM35P	MCR-M36P
				
THREAD	4 pin bayonet system	2 pin bayonet system	M44x0,75	M36x1
ORIENTATION*			yes	yes
SUITABLE FOR	Pulsar F135, F155, F455	Pulsar Core, DFA75, DN55	Swarovski tM35	GT-Nano

To have complete modular adapter system it is necessary to combine modular adapter clamp with proper modular adapter connector according to clip-on device.

**\*Orientation description**

Modular connectors with P at the end of product code have built-in system for orientation (rotation) of device. With these connectors there is no need for counter-nut on device.



- E** - external part, MAIN PART OF connector
- I** - internal part, it rotates inside the external part
- S** - set screws (3 pcs) to fix the internal part (to stop rotation)

# MODULAR ADAPTER ACCESSORIES

PRODUCT CODE	MS-OK2.5X	MS-OK3X	OK2.5X	OK3X
				

DESCRIPTION	Magnification ocular 2.5x with adapter for Rusan modular connector	Magnification ocular 3x with adapter for Rusan modular connector	Magnification ocular 2.5x (M35x0.75)	Magnification ocular 3x (M35x0.75)
-------------	--	--	--------------------------------------	------------------------------------

PRODUCT CODE	MS-AM35	MS-AM52	MS-APB	MS-RE1
				

DESCRIPTION	Adapter for Rusan modular connector for oculars with thread M35x0.75 (Rusan ocular)	Adapter for Rusan modular connector for oculars with thread M52x0.75	Adapter for Rusan modular connector for oculars Pulsar 3x20B and 5x30B	Rubber eyepiece with adapter for Rusan modular connector (no magnification)
-------------	---	--	--	---

PRODUCT CODE	MS-CLA	MS-CON	MS-CON-M35	MS-CON-PF
				

DESCRIPTION	Cover for clamp (for rifle scope)	Cover for connector (for clip-on)	Cover for connector MCR-M35P (for clip-on Pulsar Krypton, Proton)	Cover for connector MCR-PF (Pulsar F455, 4 pins)
-------------	-----------------------------------	-----------------------------------	---	--

PRODUCT CODE	MCN-THREAD		MMTHREAD	
DESCRIPTION	Counter-nut with screw for self positioning		Counter-nut	
AVAILABLE THREADS	MCN-M33.5, MCN-M43 MCN-M46, MCN-M49, MCN-M52		MM33.5X075, MM43X075, MM46X075 MM49X075, MM52X075	
				

# CONVENTIONAL ADAPTER CLAMPS

PRODUCT CODE	ARM52-SIZE	ARM52S-SIZE	ARM43-SIZE	ARTA435-SIZE
--------------	------------	-------------	------------	--------------



THREAD	M52x0.75	M52x0.75 SHORT VERSION	M43x0.75	M33.5x0.75
SUITABLE FOR	many devices	many devices	Liemke Luchs 1 & 2 Liemke Merlin 35 Night Pearl Seer Cono Seer Leica Calonox 2	Guide TAxxx Burris BTC JSA Nitehog Viper Steiner Nighthunter C35 Lahoux Clip 35 & 50

## AVAILABLE DIAMETERS

30	•		•	•
30SR-T	•			
30ZM-1	•			
30ZM-2	•			
30ZM-3	•			
30ZM-4	•			
33				•
34	•		•	•
36	•		•	
36ZM	•			
38	•		•	
39.2	•			
40	•		•	
41	•		•	
42	•		•	
42.5	•			
44	•		•	
46	•		•	•

PRODUCT CODE	ARM52-SIZE	ARM52S-SIZE	ARM43-SIZE	ARTA435-SIZE
--------------	------------	-------------	------------	--------------



THREAD	M52x0.75	M52x0.75 SHORT VERSION	M43x0.75	M33.5x0.75
SUITABLE FOR	many devices	many devices	Liemke Luchs 1 & 2 Liemke Merlin 35 Night Pearl Seer Cono Seer Leica Calonox 2	Guide TAxxx Burriss BTC JSA Nitehog Viper Steiner Nighthunter C35 Lahoux Clip 35 & 50

**AVAILABLE DIAMETERS**

46.7	•		•	
47	•		•	
48	•	•	•	•
49	•		•	•
50	•	•	•	•
51	•		•	
51.2	•			
52	•		•	•
52.5	•			
53	•		•	
53.5	•			
54	•	•	•	•
55	•		•	
56	•	•	•	•
56.7*		•		
57	•		•	•
57.2	•			
57.25		•		
57.5	•			
58	•		•	•
58.4	•		•	
59	•		•	•
59.5	•			•
60	•		•	•
60.5	•			








THREAD	M52x0.75	M52x0.75 SHORT VERSION	M43x0.75	M33.5x0.75
SUITABLE FOR	many devices	many devices	Liemke Luchs 1 & 2 Liemke Merlin 35 Night Pearl Seer Cono Seer Leica Calonox 2	Guide TAxxx Burris BTC JSA Nitehog Viper Steiner Nighthunter C35 Lahoux Clip 35 & 50

AVAILABLE DIAMETERS				
61	•		•	•
62	•	•	•	•
62.7*				
63	•		•	•
63.5	•		•	•
64	•		•	•
64.5	•			
65	•		•	•
66	•		•	
67	•		•	•
68	•		•	
69	•			
70	•			
71	•			
72	•			
73	•		•	
75	•			
80	•			

For ordering you must enter desired code, for example you need adapter 30 mm diameter with thread M52x0.75 enter code ARM52-30



PRODUCT CODE	ARK2 - SIZE	ARKFX - SIZE	ATM35 - SIZE	APS40 - SIZE
				
THREAD	<b>M35x1.0</b>	<b>M35x1.0</b>	<b>M44x0.75</b>	<b>no thread</b>
SUITABLE FOR	Pulsar Krypton and Krypton 2 Pulsar Proton (with screen positioning)	Pulsar Krypton and Krypton 2 Pulsar Proton (without screen positioning)	Swarovski tM35	ATN PS40
AVAILABLE DIAMETERS				
30	•	•	•	
30SR-T				
30ZM-1				
30ZM-2				
30ZM-3				
30ZM-4				
33				
34			•	
36			•	
36ZM				
38			•	
39.2				
40			•	
41			•	
42			•	
42.5				
44			•	
46			•	•
46.7				•
47	•	•	•	•
48	•	•	•	•
49			•	•
50	•	•	•	•
51			•	
51.2				
52		•	•	•

PRODUCT CODE	ARK2 - SIZE	ARKFX - SIZE	ATM35 - SIZE	APS40 - SIZE
				
THREAD	<b>M35x1.0</b>	<b>M35x1.0</b>	<b>M44x0.75</b>	<b>no thread</b>
SUITABLE FOR	Pulsar Krypton and Krypton 2 Pulsar Proton (with screen positioning)	Pulsar Krypton and Krypton 2 Pulsar Proton (without screen positioning)	Swarovski tM35	ATN PS40
AVAILABLE DIAMETERS				
52.5				
53			•	
53.5				
54	•	•	•	•
55			•	
56	•	•	•	•
56.7*				
57	•	•	•	•
57.2				
57.25				
57.5				
58	•	•	•	•
58.4	•	•	•	•
59	•	•	•	
59.5				
60	•	•	•	
60.5				
61			•	
62	•	•	•	•
62.7*				
63	•	•	•	
63.5	•	•	•	
64	•	•	•	
64.5				
65	•	•	•	
66			•	











THREAD	M35x1.0	M35x1.0	M44x0.75	no thread
SUITABLE FOR	Pulsar Krypton and Krypton 2 Pulsar Proton (with screen positioning)	Pulsar Krypton and Krypton 2 Pulsar Proton (without screen positioning)	Swarovski tM35	ATN PS40

AVAILABLE DIAMETERS				
67	•	•	•	
68			•	
69	•	•	•	
70				
71			•	
72			•	
73			•	
75				
80			•	

For ordering you must enter desired code, for example you need adapter 30 mm diameter for Krypton device (with screen positioning) enter code ARK2-30

Adapter for Pulsar Krypton version 1 and 2 (with screen positioning)	Adapter for Krypton version 1 and 2 (without screen positioning)
Can correct the out-of-center screen on Krypton device	Easy installation, no complications
Especially for use with small magnification rifle scopes (x1.5)	No worry of device movement
Can be used with calibers up to 30-06. For stronger calibers we advise to use adapter without screen positioning (fixed).	Best choice for most users
	On regular scope magnifications you can not see that screen is out of center

PRODUCT CODE	ARH - SIZE	ARF - SIZE	ARCORE - SIZE	GTN - SIZE
				
THREAD	<b>3 pin bayonet system</b>	<b>4 pin bayonet system</b>	<b>2 pin bayonet system</b>	<b>M36x1</b>
SUITABLE FOR	Hikmicro Cheetah Hikmicro Thunder V.1 AGM Rattler GPO Spectra	Pulsar F135 / F155 / FN455	Pulsar Core / DFA75 / DN55	GT-Nano
AVAILABLE DIAMETERS				
30	•	•	•	•
30SR-T				
30ZM-1				
30ZM-2				
30ZM-3				
30ZM-4				
33				
34	•			•
36	•			
36ZM				
38	•			
39.2				
40	•			
41	•			
42	•			
42.5				
44	•			
46	•			
46.7	•			
47	•			
48	•	•	•	•
49	•			•
50	•	•	•	•
51	•			•
51.2				
52	•			
52.5				
53	•			
53.5				
54	•	•	•	•
55	•			
56	•	•	•	•





PRODUCT CODE	ARH - SIZE	ARF - SIZE	ARCORE - SIZE	GTN - SIZE
				
THREAD	<b>3 pin bayonet system</b>	<b>4 pin bayonet system</b>	<b>2 pin bayonet system</b>	<b>M36x1</b>
SUITABLE FOR	Hikmicro Cheetah Hikmicro Thunder V.1 AGM Rattler GPO Spectra	Pulsar F135 / F155 / FN455	Pulsar Core / DFA75 / DN55	GT-Nano
AVAILABLE DIAMETERS				
56.7*				
57	•	•	•	•
57.2				
57.25				
57.5				
58	•	•	•	•
58.4	•	•	•	
59	•	•	•	•
59.5				
60	•	•	•	•
60.5				
61	•			
62	•	•	•	•
62.7*				
63	•			•
63.5	•	•	•	
64	•	•	•	•
64.5				
65	•	•	•	•
66	•			
67	•	•	•	
68	•			
69		•	•	
70				
71				
72				
73	•			
75				
80				

For ordering you must enter desired code, for example if you need adapter 30 mm diameter for Hikmicro Cheetah device enter code ARH-30

**\* Disclaimer:**

Adapter for devices with 3 pin bayonet system use pins only for positioning (stops rotation). Thread is used for fixation, so it is easier to use.

# REDUCTION RINGS FOR OTHER DEVICES

PRODUCT CODE	ADFA75-V3	AF135-F155	ARRK-FX	ARRK2
				
THREAD	<b>2 pin bayonet system</b>	<b>4 pin bayonet system</b>	<b>M35x1.0</b>	<b>M35x1.0</b>
COUNTERNUT INCL.	yes	yes	yes	yes
SUITABLE FOR	Pulsar Core / DFA75 / DN55	Pulsar F135 / F155 / FN455	Pulsar Krypton & Krypton 2 (without screen positioning)	Pulsar Krypton & Krypton 2 (with screen positioning)

PRODUCT CODE	ADN33	APS22	APS28	ARRH1-2
				
THREAD	<b>M49x0.75</b>	<b>M39x1.0</b>	<b>M49x0.75</b>	<b>3 pin bayonet system</b>
COUNTERNUT INCL.	yes	yes	yes	yes
SUITABLE FOR	Dipol DN-33/34/37 Dipol TFA 2.0/TFA 2.8 Dipol TFA1000/1200	ATN PS22 Armasight CO-MR Armasight Mini Lahoux LV-21	ATN PS28	Hikmicro Cheetah Hikmicro Thunder (V.1) AGM Rattler GPO Spectra

All thread reduction rings has reduction from thread M52x0.75 (adapter clamp side) to indicated thread at reduction ring (clip-on side)

They need to be combined with Rusan conventional universal adapter M52 to get complete adapter for specific clip-on sight

PRODUCT CODE	ASEER	ATA435	ATIR-M35	ERD552
				
THREAD	<b>M43x0.75</b>	<b>M33.5x0.75</b>	<b>M46x0.75</b>	<b>M52x0.75 / M52x0.75 *</b>
COUNTERNUT INCL.	yes	no	yes	no
SUITABLE FOR	Liemke Luchs 1 & 2 Liemke Merlin 35 Night Pearl Seer Cono Seer Leica Calonox 2	Guide TAxXX Burris BTC JSA Nitehog Viper Steiner Nighthunter C35 Lahoux Clip 35 & 50	Nitehog TIR-M35 Lahoux Hemera Meopta MeoNight Electroptic	Extension ring M52x0.75 / M52x0.75



# ADAPTERS FOR PARD AND SIMILAR DEVICES

PRODUCT CODE	ARPNV7-SIZE	ARPNV7S-SIZE
SUITABLE FOR	Pard NV007 Pard NV007 A Pard NV007 V Owlnv N7 Sytong HT 66	Pard NV007 S Pard NV007 SP
AVAILABLE DIAMETERS		
43	•	•
45.5	•	•
47	•	•
M2	•	•
V8	•	•
Z6I1	•	•
Z6I2	•	•
Z8I	•	•



## Advantages over other NV007 clamp adapters:

- Quick-release function, fast put-on and take-down
- Soft material inside prevent damage of the riflescope housing
- Special tapes for different diameters of ocular included in package
- Guaranteed precision
- Can hold very strong calibers
- ORIGINAL and proven RUSAN design

## FITS NEXT RIFLESCOPE OCULAR DIAMETERS

Adapter alone	In combination with additional tape (4 tapes included)			
	0,25 mm grey	0,50 mm blue	0,75 mm black	1,00 mm white
43 ... 42,5	42,4 ... 42	41,9 ... 41,5	41,4 ... 41	40,9 ... 40,5
45,5 ... 45	44,9 ... 44,5	44,4 ... 44	43,9 ... 43,5	43,4 ... 43
47 ... 46,5	46,4 ...	45,9 ...	45,4 ...	44,9 ...

Z6I1 - for Swarovski Z6i gen 1, Z6I2 - for Swarovski Z6i gen 2, Z8I - for Swarovski Z8i, V8 - for Zeiss V8, M2 - for Leica Magnus gen 2

## WEAVER RAIL FOR PARD NV007 ADAPTER

### Product code

**WRAP1-H**  
Weaver rail for NV007 adapter, height (9/17/25) mm suitable for all Rusan Pard NV007 adapters except for ARPNV7-M2 (Leica Magnus adapter)

**WRAP2-H**  
Weaver rail for NV007 adapter, short, height (9/17/25) mm suitable for Rusan Pard NV007 adapters ARPNV7-M2 (Leica Magnus adapter) only



# REDUCTION RINGS FOR OCULARS (EYEPIECES)

PRODUCT CODE	AMR -SIZE	AM54X -SIZE	AMPB -SIZE	AMP -SIZE	AMEO - SIZE	ABOO - SIZE
						
THREAD	<b>M35x0.75</b>	<b>M37x0.75</b>	<b>no thread</b>	<b>M40x1</b>	<b>M46x0.75</b>	<b>M35x0.75</b>
SUITABLE FOR	Rusan 2.5x and 3x ocular	Dedal ocular M-54X	Pulsar 3x20B and 5x30B ocular (Krypton and Krypton 2)	Pulsar ocular 5x30	Electrooptics Nitehog ocular	Bering Optics ocular
AVAILABLE SIZE						
44	•	•				•
46	•	•				
46.7	•	•				
47	•	•				
48	•	•	•			
49	•	•				
50	•	•	•			
51	•	•				
52	•	•	•	•	•	
53	•		•	•		
53.5	•	•				
54	•	•	•	•		
55	•	•	•	•		
56	•	•	•	•	•	•
56.7	•	•	•	•		
57	•	•	•	•	•	
57.5	•	•				
58	•	•	•	•	•	
58.4	•	•	•	•	•	
59	•	•	•	•	•	
60	•	•	•	•	•	
60.5	•	•	•	•		

PRODUCT CODE	AMR -SIZE	AM54X -SIZE	AMPB -SIZE	AMP -SIZE	AMEO - SIZE	ABOO - SIZE
						
THREAD	<b>M35x0.75</b>	<b>M37x0.75</b>	<b>no thread</b>	<b>M40x1</b>	<b>M46x0.75</b>	<b>M35x0.75</b>
SUITABLE FOR	Rusan 2.5x and 3x ocular	Dedal ocular M-54X	Pulsar 3x20B and 5x30B ocular (Krypton and Krypton 2)	Pulsar ocular 5x30	Electrooptics Nitehog ocular	Bering Optics ocular
AVAILABLE SIZE						
61	•	•				
62	•	•	•	•	•	•
62.7	•	•	•	•		
63	•	•	•	•	•	
63.5	•	•		•		
64	•	•	•	•	•	•
65	•	•	•	•	•	•
66	•	•	•	•		
67	•	•	•	•		•
68	•	•	•	•		
71	•	•	•	•		
72	•	•	•	•		
80	•	•	•	•		

For convenient observation with clip-on device.

These rings are combined with oculars (magnification eyepiece) and than can be used with any adapter clamp that is mounted on the clip-on device. Ring plus ocular (magnification eyepiece) is acting as a rifle scope. Reducing ring for ocular must be in same size as adapter clamp on the scope.



# ADAPTERS ACCESSORIES AND SPARE PARTS

## COUNTER NUTS

PRODUCT CODE	MCN-THREAD	MMTHREAD	MMTHREAD
--------------	------------	----------	----------



DESCRIPTION	Counter-nut with screw for self positioning	Counter-nut	Counter-nut with set screw
AVAILABLE THREADS/ CODE	M33.5x0.75 MCN-M33.5 M43 x0.75 MCN-M43 M46x0.75 MCN-M46 M49x0.75 MCN-M49 M52x0.75 MCN-M52	M33.5x0.75 MM33.5X075 M43 x0.75 MM43X075 M46x0.75 MM46X075 M49x0.75 MM49X075 M52x0.75 MM52X075	M33.5x0.75 MM33.5X075 M43 x0.75 MM43X075 M46x0.75 MM46X075 M49x0.75 MM49X075 M52x0.75 MM52X075

## WEAVER RAIL FOR RUSAN CONVENTIONAL, MODULAR AND PARD ADAPTER CLAMPS

PRODUCT CODE	WRA-HEIGHT	WRAP1-HEIGHT	WRAP2-HEIGHT
--------------	------------	--------------	--------------



H 9







H 17



H 25




DESCRIPTION	For ARM52-xx ; MAR-xx ; ARH-xx ; ATM35-xx ; ARK2-xx (on adapter size 47 mm and above)	All Rusan Pard NV007 /S adapters except for ARPNV7-M2 (Leica Magnus adapter)	Rusan Pard NV007 /S adapters ARP7-M2 (Leica Magnus adapter) only
AVAILABLE THREADS/ CODE	H 9 WRA-9 H 17 WRA-17 H 25 WRA-25	H 9 WRAP1-9 H 17 WRAP1-17 H 25 WRAP1-25	H 9 WRAP2-9 H 17 WRAP2-17 H 25 WRAP2-25

## ADAPTER CLAMPS SPARE PARTS

PRODUCT CODE	ARLR	ARMSR	ARLL	ARMSL
				
NAME	Adapter lever (right thread - standard)	Main screw (M5x22 right thread)	Adapter lever (left thread - standard)	Main screw (M5x22 left thread)
SUTIBLE FOR	Adapter clamps starting from size 45	Adapter clamps starting from size 45	Adapter clamps up to 44 size	Adapter clamps up to 44 size

PRODUCT CODE	AWRD60	ARSLS4X10	ARSLS4X6
			
NAME	Wrench for adapter	locking screw M4x10	locking screw M4x6
SUTIBLE FOR	Fixation counter nut (MM version)	adapter clamps starting from 36 mm	adapter clamps up to 34 mm

## HEX KEYS

PRODUCT CODE	ARIMB2	ARIMB2.5	ARIMB4
			
NAME	Hex key (Allen/Imbus) 2 mm	Hex key (Allen/Imbus) 2,5 mm	Hex key (Allen/Imbus) 4 mm
SUTIBLE FOR	Adjusting the set screw of the adapter	For MCR-xxP (positioning)	Adjusting the main screw of the adapter






# SCOPE RINGS

In this section you can find high quality rings, which are all produced from high grade materials on modern multi-axis CNC machines. No casting or metal injection is used.

## Product code explanation



### Ring type

Ring type	Description	Diameter / upper part
<b>050</b>	Weaver rings	
<b>050P</b>	Picatinny rings	25.4
<b>050P-AL</b>	Picatinny lightweight rings (alu.)	26
<b>011-T3</b>	Tikka T3/T3x	30
<b>011-SSG</b>	Steyr SSG 69	34
<b>011-11</b>	prism 11 mm	36
<b>011-14.5</b>	prism 14.5 mm	40
<b>011-16.5</b>	prism 16.5 mm (CZ 527)	
<b>011-19</b>	prism 19 mm (CZ 550/557)	




**X = R -> Quick-Release**



**X = V -> Screw**



**X = M -> Thumb-screw**



**Height** of the ring or mount is measured from top of the rail/prism to the bottom of the tube diameter/mounting rail

## Technical information

Upper parts of rings are fixed with M3.5 screw / Torx T15. Recommended tightening torque is 1.8 - 2.0 Nm. For rings which have fixation to the rail/prism by M4 Allen or Torx screw, recommended torque is 2.0-2.5 Nm.

# WEAVER RINGS

DIAMETER	25.4	26	30*	34	36	40
PRODUCT CODE						
Height						
8	050-25.4-8-X	050-26-8-X	050-30-8-X			050-40-8-X
9				050-34-9-X		
10	050-25.4-10-X	050-26-10-X	050-30-10-X		050-36-10-X	
11						050-40-11-X
12	050-25.4-12-X	050-26-12-X	050-30-12-X	050-34-12-X		
13					050-36-13-X	
14	050-25.4-14-X	050-26-14-X	050-30-14-X			050-40-14-X
17			050-30-17-X		050-36-17-X	
18				050-34-18-X		
19	050-25.4-19-X	050-26-19-X				
20			050-30-20-X			
24				050-34-24-X		



## FIXATION

**X = R -> QUICK-RELEASE**

**X = V -> SCREW**

**X = M -> THUMB-SCREW**

**Material:** High-grade steel, CNC machined from solid material, black oxide

**Width of ring:** 15 mm

**Recoil lug:** 3.6 mm, milled from solid material (no insert)

**Fixation:** screw / thumb-screw / quick-release

QR levers are adjustable and can be put in position as you like

**Fits:** Weaver AND Picatinny rails and bases

**Height** is measured from top of the rail/prism to the bottom of the tube diameter/mounting rail

\* Optionally available (on 30 mm rings only) with interface for adapters for installing additional optics/accessories (one ring has interface).

## PICATINNY RAIL (ADAPTER) FOR WEAVER RING

Product code	height	length
050-P1-9.5	9,5	35
050-P1-13	13	35





# PICATINNY RINGS

DIAMETER	30	34	35	36	40
PRODUCT CODE					
Height					
8	050P-30-8- <b>X</b>				050P-40-8- <b>X</b>
9		050P-34-9- <b>X</b>	050P-35-9- <b>X</b>		
10	050P-30-10- <b>X</b>			050P-36-10- <b>X</b>	
11					050P-40-11- <b>X</b>
12	050P-30-12- <b>X</b>	050P-34-12- <b>X</b>	050P-35-12- <b>X</b>		
13				050P-36-13- <b>X</b>	
14	050P-30-14- <b>X</b>				050P-40-14- <b>X</b> X
17	050P-30-17- <b>X</b>			050P-36-17- <b>X</b>	
18		050P-34-18- <b>X</b>	050P-35-18- <b>X</b>		
20	050P-30-20- <b>X</b>				
24		050P-34-24- <b>X</b>			

## FIXATION

**X = R -> QUICK-RELEASE**

**X = V -> SCREW**

**Material:** High-grade steel, CNC machined from solid material, black oxide

**Width of ring:** 15 mm

**Recoil lug:** real picatinny 4.9 mm, milled from solid material (no insert)

**Fixation:** screw / quick-release

QR levers are adjustable and can be put in position as you like

**Fits:** Picatinny rails and bases

New attractive ring design

**Height** is measured from top of the rail/prism to the bottom of the tube diameter/mounting rail



# PICATINNY LIGHTWEIGHT RINGS (aluminium)

DIAMETER	30	34	35	36	40
PRODUCT CODE					
Height					
8	050P-AL-30-8-X				050P-AL-40-8-X
9		050P-AL-34-9-X	050P-AL-35-9-X		
10	050P-AL-30-10-X			050P-AL-36-10-X	
11					050P-AL-40-11-X
12	050P-AL-30-12-X	050P-AL-34-12-X	050P-AL-35-12-X		
13				050P-AL-36-13-X	
14	050P-AL-30-14-X				050P-AL-40-14-X
17	050P-AL-30-17-X			050P-AL-36-17-X	
18		050P-AL-34-18-X	050P-AL-35-18-X		
20	050P-AL-30-20-X				
24		050P-AL-34-24-X			

## FIXATION

X = R -> QUICK-  
RELEASE

X = V -> SCREW

**Material:** High-grade aluminum alloy 7075, CNC machined from solid material, black hard anodized

**Width of ring:** 15 mm

**Recoil lug:** real picatinny 4.9 mm, milled from solid material (no insert)

**Fixation:** screw / quick-release

QR levers are adjustable and can be put in position as you like

**Fits:** Picatinny rails and bases

New attractive ring design

**Lightweight,** solid and 100 % recoilproof

**Clamping jaws** and **QR levers** are made of steel

**Height** is measured from top of the rail/prism to the bottom of the tube diameter/mounting rail



# ROLL-OFF RINGS

## TIKKA T3/T3X

DIAMETER	25.4	26	30
PRODUCT CODE			
Height			
12			011-T3-30-12- <b>X</b>
14	011-T3-25.4-14- <b>X</b>	011-T3-26-14- <b>X</b>	
15			011-T3-30-15- <b>X</b>
17	011-T3-25.4-17- <b>X</b>	011-T3-26-17- <b>X</b>	
19			011-T3-30-19- <b>X</b>
21	011-T3-25.4-21- <b>X</b>	011-T3-26-21- <b>X</b>	
23			011-T3-30-23- <b>X</b>
25	011-T3-25.4-25- <b>X</b>	011-T3-26-25- <b>X</b>	



### FIXATION

**X = R** -> QUICK-RELEASE

**X = V** -> SCREW

**X = M** -> THUMB-SCREW

**Material:** High-grade steel, CNC machined from solid material, black oxide

**Width of ring:** 15 mm

**Recoil lug:** yes, removable (on one ring)

**Fixation:** screw / thumb-screw / quick-release

QR levers are adjustable and can be put in position as you like

**Fits:** Tikka T3/T3x

**Height** is measured from top of the rail/prism to the bottom of the tube diameter/mounting rail



# ROLL-OFF RINGS

## STEYR SSG 69

DIAMETER	25.4	26	30
PRODUCT CODE			
Height			
12			011-SSG-30-12- <b>X</b>
14	011-SSG-25.4-14- <b>X</b>	011-SSG-26-14- <b>X</b>	
15			011-SSG-30-15- <b>X</b>
17	011-SSG-25.4-17- <b>X</b>	011-SSG-26-17- <b>X</b>	
19			011-SSG-30-19- <b>X</b>
21	011-SSG-25.4-21- <b>X</b>	011-SSG-26-21- <b>X</b>	
23			011-SSG-30-23- <b>X</b>
25	011-SSG-25.4-25- <b>X</b>	011-SSG-26-25- <b>X</b>	



### FIXATION

- X = R** -> QUICK-RELEASE
- X = V** -> SCREW
- X = M** -> THUMB-SCREW

**Material:** High-grade steel, CNC machined from solid material, black oxide

**Width of ring:** 15 mm

**Recoil lug:** no

**Fixation:** screw / thumb-screw / quick-release

QR levers are adjustable and can be put in position as you like

**Fits:** Steyr SSG 69 (prism)

**Height** is measured from top of the rail/prism to the bottom of the tube diameter/mounting rail



# ROLL-OFF RINGS

## PRISM 11 MM

DIAMETER	25.4	26	30
PRODUCT CODE			
Height			
12	011-11-25.4-12- <b>X</b>	011-11-26-12- <b>X</b>	011-11-30-12- <b>X</b>
15	011-11-25.4-15- <b>X</b>	011-11-26-15- <b>X</b>	011-11-30-15- <b>X</b>
19	011-11-25.4-19- <b>X</b>	011-11-26-19- <b>X</b>	011-11-30-19- <b>X</b>
23	011-11-25.4-23- <b>X</b>	011-11-26-23- <b>X</b>	011-11-30-23- <b>X</b>



### FIXATION

**X = R -> QUICK-RELEASE**

**X = V -> SCREW**

**X = M -> THUMB-SCREW**

**Material:** High-grade steel, CNC machined from solid material, black oxide

**Width of ring:** 15 mm

**Recoil lug:** no

**Fixation:** screw / thumb-screw / quick-release

QR levers are adjustable and can be put in position as you like

**Fits:** prism 11 mm (CZ)



# ROLL-OFF RINGS

## PRISM 14.5 MM

DIAMETER	25.4	26	30
PRODUCT CODE			
Height			
15			011-14.5-30-15- <b>X</b>
17	011-14.5-25.4-17- <b>X</b>	011-14.5-26-17- <b>X</b>	
19			011-14.5-30-19- <b>X</b>
21	011-14.5-25.4-21- <b>X</b>	011-14.5-26-21- <b>X</b>	
23			011-14.5-30-23- <b>X</b>
25	011-14.5-25.4-25- <b>X</b>	011-14.5-26-25- <b>X</b>	



### FIXATION

**X = R** -> QUICK-RELEASE

**X = V** -> SCREW

**X = M** -> THUMB-SCREW

**Material:** High-grade steel, CNC machined from solid material, black oxide

**Width of ring:** 15 mm

**Recoil lug:** no

**Fixation:** screw / thumb-screw / quick-release

QR levers are adjustable and can be put in position as you like

**Fits:** prism 14.5 mm

**Height** is measured from top of the rail/prism to the bottom of the tube diameter/mounting rail



# ROLL-OFF RINGS

## PRISM 16.5 MM (CZ 527)

DIAMETER	25.4	26	30
PRODUCT CODE			
Height			
12			011-16.5-30-12- <b>X</b>
14	011-16.5-25.4-14- <b>X</b>	011-16.5-26-14- <b>X</b>	
15			011-16.5-30-15- <b>X</b>
17	011-16.5-25.4-17- <b>X</b>	011-16.5-26-17- <b>X</b>	
19			011-16.5-30-19- <b>X</b>
21	011-16.5-25.4-21- <b>X</b>	011-16.5-26-21- <b>X</b>	
23			011-16.5-30-23- <b>X</b>
25	011-16.5-25.4-25- <b>X</b>	011-16.5-26-25- <b>X</b>	



### FIXATION

**X = R** -> QUICK-RELEASE

**X = V** -> SCREW

**X = M** -> THUMB-SCREW

**Material:** High-grade steel, CNC machined from solid material, black oxide

**Width of ring:** 15 mm

**Recoil lug:** no

**Fixation:** screw / thumb-screw / quick-release

QR levers are adjustable and can be put in position as you like

**Fits:** prism 16.5 mm (CZ 527....)

**Height** is measured from top of the rail/prism to the bottom of the tube diameter/mounting rail



# ROLL-OFF RINGS

## PRISM 19 MM (CZ 550/557)

DIAMETER	25.4	26	30
PRODUCT CODE			
Height			
12	011-19-25.4-12- <b>X</b>	011-19-26-12- <b>X</b>	011-19-30-12- <b>X</b>
15	011-19-25.4-15- <b>X</b>	011-19-26-15- <b>X</b>	011-19-30-15- <b>X</b>
19	011-19-25.4-19- <b>X</b>	011-19-26-19- <b>X</b>	011-19-30-19- <b>X</b>
23	011-19-25.4-23- <b>X</b>	011-19-26-23- <b>X</b>	011-19-30-23- <b>X</b>



### FIXATION

- X = R** -> QUICK-RELEASE
- X = V** -> SCREW
- X = M** -> THUMB-SCREW

**Material:** High-grade steel, CNC machined from solid material, black oxide

**Width of ring:** 15 mm

**Recoil lug:** yes, milled from solid material (no insert)

**Fixation:** screw / thumb-screw / quick-release

QR levers are adjustable and can be put in position as you like

**Fits:** prism 19 mm (CZ 550/557...)

**Height** is measured from top of the rail/prism to the bottom of the tube diameter/mounting rail









# PIVOT MOUNTS

Pivot mounts are available in many combinations of rifle model / ring diameter or mounting rail / height, and also for many Thermal and NightVision devices. It can be ordered as complete mount with bases, or only upper parts (without bases).

## Product code

Complete mount  
Mount w/o bases

model-dia-H-**KR**  
049-model-dia-H-**KR**

**Model** specific gun model code (can be found on next pages)

## Dia

## H (Height mm)

26 / 30 / 34 / 36 / 40  
SR / ZM / LM / S&B Convex rail

17 / 19 / 21  
17

**Height** of the mount is always measured from top of the receiver housing to the bottom of the tube diameter/ mounting rail.

## Other available mounting standards and N/V and Thermal devices:



<b>PIC</b>	Picatinny rail
<b>DOC</b>	Docter Sight
<b>ATN4K-1</b>	ATN X-Sight 4K (30 mm, one-piece mount)
<b>ATNHD-1</b>	ATN X-Sight HD
<b>D480-1</b>	Dedal 180/450/480
<b>HIK-1</b>	HIKMicro Thunder
<b>IRAY1</b>	InfiRay Rico / Saim
<b>P008-1</b>	Pard NV008/P
<b>P008S-1</b>	Pard NV008S
<b>PIXC-1</b>	PixFra Chiron
<b>PUL-1</b>	Pulsar Digisight / Digisight Ultra / Trail / Trail2; Yukon Sightline
<b>PUL-2</b>	Pulsar Talion
<b>PHO-1</b>	Yukon Photon (30 mm, one-piece mount)

## Recommended tightening torque

Rings 1.8 - 2.0 Nm (M3.5 screws)

Bases 2.7 - 3.3 Nm

Front foot 10 Nm (M5 screws)



**KR** - Extension of front foot is normally chosen by producer as best fit for particular rifle. If you want specific KR, you can specify KR in the product code.

### Available KR for rings

H17 -> 10, 25, 32, 38, 43, 50

H19 -> 10, 32, 38, 43, 50

H21 -> 10, 32

### Available KR for mounting rails

H17 -> 32, 38

H19 -> 32, 50

# PIVOT MOUNTS WITH RINGS



RIFLE MANUFACTURER, MODEL / FITS ALSO	GUN MODEL CODE	PRODUCT CODES FOR COMPLETE PIVOT MOUNTS WITH RING					*DISCLAIMER
		26 (25.4)	30	34	36	40	
Anschutz: 54/64 (11 mm prism)	0058	0058-26-H	0058-30-H	0058-34-H	0058-36-H	0058-40-H	
Antonio Zoli: 1900	0021	0021-26-H	0021-30-H	0021-34-H	0021-36-H	0021-40-H	*
Benelli: Argo	0022	0022-26-H	0022-30-H	0022-34-H	0022-36-H	0022-40-H	
Bergara: B14	0073	0073-26-H	0073-30-H	0073-34-H	0073-36-H	0073-40-H	*
Browning: A-bolt 3	0065	0065-26-H	0065-30-H	0065-34-H	0065-36-H	0065-40-H	
Browning: A-bolt I/II, Eurobolt	0025	0025-26-H	0025-30-H	0025-34-H	0025-36-H	0025-40-H	
Browning: BAR I/II, CBL, Acera, Maral Fabarm: Iris / Winchester SXR	0024	0024-26-H	0024-30-H	0024-34-H	0024-36-H	0024-40-H	
Browning: European	0026	0026-26-H	0026-30-H	0026-34-H	0026-36-H	0026-40-H	
Browning: X-Bolt	0047	0047-26-H	0047-30-H	0047-34-H	0047-36-H	0047-40-H	
CZ: 452 / 453 / 455 / 457 / 511 / 512 / 513 (11 mm prism)	0053	0053-26-H	0053-30-H	0053-34-H	0053-36-H	0053-40-H	*
CZ: 527, ZKM, Fox, Hornet (16,5 mm prism)	0041	0041-26-H	0041-30-H	0041-34-H	0041-36-H	0041-40-H	*
CZ: 550 - radius	0052	0052-26-H	0052-30-H	0052-34-H	0052-36-H	0052-40-H	*
CZ: 550 / 601 ZKK short (19 mm prism)	0023SA	0023SA-26-H	0023SA-30-H	0023SA-34-H	0023SA-36-H	0023SA-40-H	
CZ: 550 Skandinavia	0054	0054-26-H	0054-30-H	0054-34-H	0054-36-H	0054-40-H	
CZ: 550, 557, 537, ZKK, 600, 601, 602 (19 mm prism)	0023	0023-26-H	0023-30-H	0023-34-H	0023-36-H	0023-40-H	*
CZ: 600 Remington 700, 78 / Haenel Jager 10 / Mauser M18 / Mauser: M12 (from SN 30000)	0030N	0030N-26-H	0030N-30-H	0030N-34-H	0030N-36-H	0030N-40-H	*
Fabarm: Iris Winchester SXR / Browning: BAR I/ II, CBL, Acera, Maral	0024	0024-26-H	0024-30-H	0024-34-H	0024-36-H	0024-40-H	

RIFLE MANUFACTURER, MODEL / FITS ALSO	GUN MODEL CODE	PRODUCT CODES FOR COMPLETE PIVOT MOUNTS WITH RING					*DISCLAIMER
		26 (25.4)	30	34	36	40	
Franchi: Horizon	0071	0071-26-H	0071-30-H	0071-34-H	0071-36-H	0071-40-H	
Haenel: Jager 10 CZ 600 / Remington 700, 78 / Mauser M18 / Mauser: M12 (from SN 30000)	0030N	0030N-26-H	0030N-30-H	0030N-34-H	0030N-36-H	0022-40-H	*
Heckler & Koch: SLB 2000	0027	0027-26-H	0027-30-H	0027-34-H	0027-36-H	0027-40-H	
Heym: SR 30, SR 21 (new version)	0061	0061-26-H	0061-30-H	0061-34-H	0061-36-H	0061-40-H	
Howa: 1500	0063	0063-26-H	0063-30-H	0063-34-H	0063-36-H	0063-40-H	*
Krico: 700, 900	0064	0064-26-H	0064-30-H	0064-34-H	0064-36-H	0064-40-H	
Mauser: M18 Haenel Jager 10 / CZ 600 / Reming- ton 700, 78 / Mauser: M12 (from SN 30000)	0030N	0030N-26-H	0030N-30-H	0030N-34-H	0030N-36-H	0030N-40-H	*
Mauser: 98, 48 (without bulb) / Zastava: M70	0028	0028-26-H	0028-30-H	0028-34-H	0028-36-H	0028-40-H	*
Mauser: K98, M48 (with bulb)	0028B	0028B-26-H	0028B-30-H	0028B-34-H	0028B-36-H	0028B-40-H	
Mauser: M12 (from SN 30000) Mauser M18 / Haenel Jager 10 / CZ 600 / Remington 700, 78	0030N	0030N-26-H	0030N-30-H	0030N-34-H	0030N-36-H	0030N-40-H	*
Mauser: M12 (up to serial number 29999)	0066	0066-26-H	0066-30-H	0066-34-H	0066-36-H	0066-40-H	*
Mauser: M96	0055	0055-26-H	0055-30-H	0055-34-H	0055-36-H	0055-40-H	
Merkel: SR 1	0046	0046-26-H	0046-30-H	0046-34-H	0046-36-H	0046-40-H	
Merkel: SR 1 basic	0046B	0046B-26-H	0046B-30-H	0046B-34-H	0046B-36-H	0046B-40-H	
Mossberg: Patriot	0070	0070-26-H	0070-30-H	0070-34-H	0070-36-H	0070-40-H	
Remington: 700, 78 Haenel Jager 10 / CZ 600 / Mauser M18 / Mauser: M12 (from SN 30000)	0030N	0030N-26-H	0030N-30-H	0030N-34-H	0030N-36-H	0030N-40-H	*
Remington: 783	0072	0072-26-H	0072-30-H	0072-34-H	0072-36-H	0072-40-H	
Remington: 740, 742, 760	0062	0062-26-H	0062-30-H	0062-34-H	0062-36-H	0062-40-H	
Remington: 7400, 7600, 750 Woodmaster	0031	0031-26-H	0031-30-H	0031-34-H	0031-36-H	0031-40-H	
Remington: 770	0042	0042-26-H	0042-30-H	0042-34-H	0042-36-H	0042-40-H	
Rössler: Titan 16	0059	0059-26-H	0059-30-H	0059-34-H	0059-36-H	0059-40-H	
Rössler: Titan 6, Titan 3	0032	0032-26-H	0032-30-H	0032-34-H	0032-36-H	0032-40-H	
Ruger: American Rifle	0069	0069-26-H	0069-30-H	0069-34-H	0069-36-H	0069-40-H	
Sabatti: Rover (bolt action rifle)	0033	0033-26-H	0033-30-H	0033-34-H	0033-36-H	0033-40-H	*
Sako: 75/85 (tapered prism)	0039	0039-26-H	0039-30-H	0039-34-H	0039-36-H	0039-40-H	*
Sako: A7 Steyr: SBS, Classic, CLII, SM12	0045	0045-26-H	0045-30-H	0045-34-H	0045-36-H	0045-40-H	
Sauer: 100/101 (DIFF=2,5) (up to SN A020554)	0051	0051-26-H	0051-30-H	0051-34-H	0051-36-H	0051-40-H	*

RIFLE MANUFACTURER, MODEL / FITS ALSO	GUN MODEL CODE	PRODUCT CODES FOR COMPLETE PIVOT MOUNTS WITH RING					*DISCLAIMER
		26 (25.4)	30	34	36	40	
Sauer: 100/101 (DIFF=3) (from SN A020555)	0051N	0051N-26-H	0051N-30-H	0051N-34-H	0051N-36-H	0051N-40-H	
Sauer: 200	0074	0074-26-H	0074-30-H	0074-34-H	0074-36-H	0074-40-H	
Sauer: 202	0034	0034-26-H	0034-30-H	0034-34-H	0034-36-H	0034-40-H	
Sauer: 303	0044	0044-26-H	0044-30-H	0044-34-H	0044-36-H	0044-40-H	
Sauer: 80, 90, 92	0056	0056-26-H	0056-30-H	0056-34-H	0056-36-H	0056-40-H	
Steyr: Mannlicher (old models)	0036	0036-26-H	0036-30-H	0036-34-H	0036-36-H	0036-40-H	
Steyr: SBS, Classic, CLII, SM12 / Sako: A7	0045	0045-26-H	0045-30-H	0045-34-H	0045-36-H	0045-40-H	*
Steyr: SSG 69 (18 mm prism)	0035	0035-26-H	0035-30-H	0035-34-H	0035-36-H	0035-40-H	*
Tikka: T3	0040	0040-26-H	0040-30-H	0040-34-H	0040-36-H	0040-40-H	
Verney Carron: Impact Auto (DIFF=0)	0057X	0057X-26-H	0057X-30-H	0057X-34-H	0057X-36-H	0057X-40-H	
Verney Carron: Impact Auto (DIFF=1,6)	0057	0057-26-H	0057-30-H	0057-34-H	0057-36-H	0057-40-H	
Voere	0075	0075-26-H	0075-30-H	0075-34-H	0075-36-H	0075-40-H	*
Weatherby: Mark V, Europa, 300, Vanguard	0037	0037-26-H	0037-30-H	0037-34-H	0037-36-H	0037-40-H	
Winchester SXR Browning: BAR I/II, CBL, Acera, Maral / Fabarm: Iris	0024	0024-26-H	0024-30-H	0024-34-H	0024-36-H	0024-40-H	*
Winchester: 70 Standard, 770, Target (XTR)	0038	0038-26-H	0038-30-H	0038-34-H	0038-36-H	0038-40-H	
Winchester: 88, 100	0060	0060-26-H	0060-30-H	0060-34-H	0060-36-H	0060-40-H	*
Winchester: XPR	0067	0067-26-H	0067-30-H	0067-34-H	0067-36-H	0067-40-H	*
Zastava: M70 Mauser: 98, 48 (w/o bulb)	0028	0028-26-H	0028-30-H	0028-34-H	0028-36-H	0028-40-H	
Zastava: Mini Mauser (M85)	0029	0029-26-H	0029-30-H	0029-34-H	0029-36-H	0029-40-H	

If you need pivot mount **without bases (only upper parts)**, you need to put prefix **049-** before product code for example **049-0029-26-H**

#### Heights: 17, 19, 21

*\*Disclaimer: next pivot mounts are not available in height 17 due to technical specification of rifles*

CZ: 452/453/455/457/511/512/513 (11 mm prism)

CZ: 527, ZKM, Fox, Hornet (16,5 mm prism)

CZ: 550, 557, 537, ZKK, 600, 601, 602 (19 mm prism)

Sako: 75/85 (tapered prism)

Steyr: SSG 69 (18 mm prism)

Tikka: T3

**In pivot mount without bases**, height is measured together with the base, although the base is not supplied.

**KR** Extension of front foot is normally chosen by producer as best fit for particular rifle. If you want specific KR, you can specify KR in the product code.

# PIVOT MOUNTS WITH MOUNTING RAILS



RIFLE MANUFACTURER, MODEL / FITS ALSO	GUN MODEL CODE	PRODUCT CODES FOR COMPLETE PIVOT MOUNTS WITH RING				*DISCLAIMER
		VM/ZM	LM	SR	SBC	
Anschutz: 54/64 (11 mm prism)	0058	0058-ZM	0058-LM	0058-SR	0058-SBC	
Antonio Zoli: 1900	0021	0021-ZM	0021-LM	0021-SR	0021-SBC	*
Benelli: Argo	0022	0022-ZM	0022-LM	0022-SR	0022-SBC	
Bergara: B14	0073	0073-ZM	0073-LM	0073-SR	0073-SBC	*
Browning: A-bolt 3	0065	0065-ZM	0065-LM	0065-SR	0065-SBC	
Browning: A-bolt I/II, Eurobolt	0025	0025-ZM	0025-LM	0025-SR	0025-SBC	
Browning: BAR I/II, CBL, Acera, Maral - Fabarm: Iris / Winchester SXR	0024	0024-ZM	0024-LM	0024-SR	0024-SBC	
Browning: European	0026	0026-ZM	0026-LM	0026-SR	0026-SBC	
Browning: X-Bolt	0047	0047-ZM	0047-LM	0047-SR	0047-SBC	
CZ: 452/453/455/457/511/512/513 (11 mm prism)	0053	0053-ZM	0053-LM	0053-SR	0053-SBC	*
CZ: 527, ZKM, Fox, Hornet (16,5 mm prism)	0041	0041-ZM	0041-LM	0041-SR	0041-SBC	*
CZ: 550 - radius	0052	0052-ZM	0052-LM	0052-SR	0052-SBC	*
CZ: 550 / 601 ZKK short (19 mm prism)	0023SA	0023SA-ZM	0023SA-LM	0023SA-SR	0023SA-SBC	
CZ: 550 Skandinavia	0054	0054-ZM	0054-LM	0054-SR	0054-SBC	
CZ: 550, 557, 537, ZKK, 600, 601, 602 (19 mm prism)	0023	0023-ZM	0023-LM	0023-SR	0023-SBC	*
CZ: 600 - Remington 700, 78 / Haenel Jager 10 / Mauser M18 / Mauser: M12 (from SN 30000)	0030N	0030N-ZM	0030N-LM	0030N-SR	0030N-SBC	*
Fabarm: Iris Winchester SXR / Browning: BAR I/II, CBL, Acera, Maral	0024	0024-ZM	0024-LM	0024-SR	0024-SBC	
Franchi: Horizon	0071	0071-ZM	0071-LM	0071-SR	0071-SBC	
Haenel: Jager 10 CZ 600 / Remington 700, 78 / Mauser M18 / Mauser: M12 (from SN 30000)	0030N	0030N-ZM	0030N-LM	0030N-SR	0030N-SBC	*

RIFLE MANUFACTURER, MODEL / FITS ALSO	GUN MODEL CODE	PRODUCT CODES FOR COMPLETE PIVOT MOUNTS WITH RING				*DISCLAIMER
		VM/ZM	LM	SR	SBC	
Heckler & Koch: SLB 2000	0027	0027-ZM	0027-LM	0027-SR	0027-SBC	
Heym: SR 30, SR 21 (new version)	0061	0061-ZM	0061-LM	0061-SR	0061-SBC	
Howa: 1500	0063	0063-ZM	0063-LM	0063-SR	0063-SBC	*
Krico: 700, 900	0064	0064-ZM	0064-LM	0064-SR	0064-SBC	
Mauser: M18 Haenel Jager 10 / CZ 600 / Remington 700, 78 / Mauser: M12 (from SN 30000)	0030N	0030N-ZM	0030N-LM	0030N-SR	0030N-SBC	*
Mauser: 98, 48 (without bulb) Zastava: M70	0028	0028-ZM	0028-LM	0028-SR	0028-SBC	*
Mauser: K98, M48 (with bulb)	0028B	0028B-ZM	0028B-LM	0028B-SR	0028B-SBC	
Mauser: M12 (from SN 30000) Mauser M18 / Haenel Jager 10 / CZ 600 / Remington 700, 78	0030N	0030N-ZM	0030N-LM	0030N-SR	0030N-SBC	*
Mauser: M12 (up to serial number 29999)	0066	0066-ZM	0066-LM	0066-SR	0066-SBC	*
Mauser: M96	0055	0055-ZM	0055-LM	0055-SR	0055-SBC	
Merkel: SR 1	0046	0046-ZM	0046-LM	0046-SR	0046-SBC	
Merkel: SR 1 basic	0046B	0046B-ZM	0046B-LM	0046B-SR	0046B-SBC	
Mossberg: Patriot	0070	0070-ZM	0070-LM	0070-SR	0070-SBC	
Remington: 700, 78 Haenel Jager 10 / CZ 600 / Mauser M18 / Mauser: M12 (from SN 30000)	0030N	0030N-ZM	0030N-LM	0030N-SR	0030N-SBC	*
Remington: 783	0072	0072-ZM	0072-LM	0072-SR	0072-SBC	
Remington: 740, 742, 760	0062	0062-ZM	0062-LM	0062-SR	0062-SBC	
Remington: 7400, 7600, 750 Woodmaster	0031	0031-ZM	0031-LM	0031-SR	0031-SBC	
Remington: 770	0042	0042-ZM	0042-LM	0042-SR	0042-SBC	
Rössler: Titan 16	0059	0059-ZM	0059-LM	0059-SR	0059-SBC	
Rössler: Titan 6, Titan 3	0032	0032-ZM	0032-LM	0032-SR	0032-SBC	
Ruger: American Rifle	0069	0069-ZM	0069-LM	0069-SR	0069-SBC	
Sabatti: Rover (bolt action rifle)	0033	0033-ZM	0033-LM	0033-SR	0033-SBC	*
Sako: 75/85 (tapered prism)	0039	0039-ZM	0039-LM	0039-SR	0039-SBC	*
Sako: A7 - Steyr: SBS, Classic, CLII, SM12	0045	0045-ZM	0045-LM	0045-SR	0045-SBC	
Sauer: 100/101 (DIFF=2,5) (up to SN A020554)	0051	0051-ZM	0051-LM	0051-SR	0051-SBC	*
Sauer: 100/101 (DIFF=3) (from SN A020555)	0051N	0051N-ZM	0051N-LM	0051N-SR	0051N-SBC	*
Sauer: 200	0074	0074-ZM	0074-LM	0074-SR	0074-SBC	
Sauer: 202	0034	0034-ZM	0034-LM	0034-SR	0034-SBC	
Sauer: 303	0044	0044-ZM	0044-LM	0044-SR	0044-SBC	
Sauer: 80, 90, 92	0056	0056-ZM	0056-LM	0056-SR	0056-SBC	



RIFLE MANUFACTURER, MODEL / FITS ALSO	GUN MODEL CODE	PRODUCT CODES FOR COMPLETE PIVOT MOUNTS WITH RING				*DISCLAIMER
		VM/ZM	LM	SR	SBC	
Steyr: Mannlicher (old models)	0036	0036-ZM	0036-LM	0036-SR	0036-SBC	
Steyr: SBS, Classic, CLII, SM12 - Sako: A7	0045	0045-ZM	0045-LM	0045-SR	0045-SBC	
Steyr: SSG 69 (18 mm prism)	0035	0035-ZM	0035-LM	0035-SR	0035-SBC	*
Tikka: T3	0040	0040-ZM	0040-LM	0040-SR	0040-SBC	*
Verney Carron: Impact Auto (DIFF=0)	0057X	0057X-ZM	0057X-LM	0057X-SR	0057X-SBC	
Verney Carron: Impact Auto (DIFF=1,6)	0057	0057-ZM	0057-LM	0057-SR	0057-SBC	
Voere	0075	0075-ZM	0075-LM	0075-SR	0075-SBC	
Weatherby: Mark V, Europa, 300, Vanguard	0037	0037-ZM	0037-LM	0037-SR	0037-SBC	*
Winchester SXR Browning: BAR I/II, CBL, Acera, Maral / Fabarm: Iris	0024	0024-ZM	0024-LM	0024-SR	0024-SBC	
Winchester: 70 Standard, 770, Target (XTR)	0038	0038-ZM	0038-LM	0038-SR	0038-SBC	*
Winchester: 88, 100	0060	0060-ZM	0060-LM	0060-SR	0060-SBC	
Winchester: XPR	0067	0067-ZM	0067-LM	0067-SR	0067-SBC	*
Zastava: M70 Mauser: 98, 48 (w/o bulb)	0028	0028-ZM	0028-LM	0028-SR	0028-SBC	*
Zastava: Mini Mauser (M85)	0029	0029-ZM	0029-LM	0029-SR	0029-SBC	

If you need pivot mount **without bases (only upper parts)**, you need to put prefix **049-** before product code for example **049-0029-VM/ZM**

### Heights

In pivot mounts with mounting rails, generally **only one height is available**. For most rifle models it is **17 mm**.

*\*Disclaimer: next pivot mounts are not available in height 17 mm due to technical specification of rifles. They have height 19 mm*

CZ: 452/453/455/457/511/512/513 (11 mm prism)

CZ: 527, ZKM, Fox, Hornet (16,5 mm prism)

CZ: 550, 557, 537, ZKK, 600, 601, 602 (19 mm prism)

Sako: 75/85 (tapered prism)

Steyr: SSG 69 (18 mm prism)

Tikka: T3

**In pivot mount without bases, height** is measured together with the base, although the base is not supplied.

# PIVOT MOUNTS WITH PICATINNY RAIL AND DOCTER SIGHT



RIFLE MANUFACTURER, MODEL / FITS ALSO	GUN MODEL CODE	PRODUCT CODES FOR COMPLETE PIVOT MOUNTS	
		PICATINNY RAIL	DOCTER SIGHT
Anschutz: 54/64 (11 mm prism)	0058	0058-PIC	0058-DOC
Antonio Zoli: 1900	0021	0021-PIC	0021-DOC
Benelli: Argo	0022	0022-PIC	0022-DOC
Bergara: B14	0073	0073-PIC	0073-DOC
Browning: A-bolt 3	0065	0065-PIC	0065-DOC
Browning: A-bolt I/II, Eurobolt	0025	0025-PIC	0025-DOC
Browning: BAR I/II, CBL, Acera, Maral / Fabarm: Iris / Winchester SXR	0024	0024-PIC	0024-DOC
Browning: European	0026	0026-PIC	0026-DOC
Browning: X-Bolt	0047	0047-PIC	0047-DOC
CZ: 452/453/455/457/511/512/513 (11 mm prism)	0053	0053-PIC	0053-DOC
CZ: 527, ZKM, Fox, Hornet (16,5 mm prism)	0041	0041-PIC	0041-DOC
CZ: 550 - radius	0052	0052-PIC	0052-DOC
CZ: 550 / 601 ZKK short (19 mm prism)	0023SA	0023SA-PIC	0023SA-DOC
CZ: 550 Skandinavia	0054	0054-PIC	0054-DOC
CZ: 550, 557, 537, ZKK, 600, 601, 602 (19 mm prism)	0023	0023-PIC	0023-DOC
CZ: 600 / Remington 700, 78 / Haenel Jager 10 / Mauser M18 / Mauser: M12 (from SN 30000)	0030N	0030N-PIC	0030N-DOC
Fabarm: Iris / Winchester SXR / Browning: BAR I/ II, CBL, Acera, Maral	0024	0024-PIC	0024-DOC

RIFLE MANUFACTURER, MODEL / FITS ALSO	GUN MODEL CODE	PRODUCT CODES FOR COMPLETE PIVOT MOUNTS	
		PICATINNY RAIL	DOCTER SIGHT
Franchi: Horizon	0071	0071-PIC	0071-DOC
Haenel: Jager 10 / CZ 600 / Remington 700, 78 / Mauser M18 / Mauser: M12 (from SN 30000)	0030N	0030N-PIC	0030N-DOC
Heckler & Koch: SLB 2000	0027	0027-PIC	0027-DOC
Heym: SR 30, SR 21 (new version)	0061	0061-PIC	0061-DOC
Howa: 1500	0063	0063-PIC	0063-DOC
Krico: 700, 900	0064	0064-PIC	0064-DOC
Mauser: M18 / Haenel Jager 10 / CZ 600 / Remington 700, 78 / Mauser: M12 (from SN 30000)	0030N	0030N-PIC	0030N-DOC
Mauser: 98, 48 (without bulb) / Zastava: M70	0028	0028-PIC	0028-DOC
Mauser: K98, M48 (with bulb)	0028B	0028B-PIC	0028B-DOC
Mauser: M12 (from SN 30000) /Mauser M18 / Haenel Jager 10 / CZ 600 / Remington 700, 78	0030N	0030N-PIC	0030N-DOC
Mauser: M12 (up to serial number 29999)	0066	0066-PIC	0066-DOC
Mauser: M96	0055	0055-PIC	0055-DOC
Merkel: SR 1	0046	0046-PIC	0046-DOC
Merkel: SR 1 basic	0046B	0046B-PIC	0046B-DOC
Mossberg: Patriot	0070	0070-PIC	0070-DOC
Remington: 700, 78 / Haenel Jager 10 / CZ 600 / Mauser M18 / Mauser: M12 (from SN 30000)	0030N	0030N-PIC	0030N-DOC
Remington: 783	0072	0072-PIC	0072-DOC
Remington: 740, 742, 760	0062	0062-PIC	0062-DOC
Remington: 7400, 7600, 750 Woodmaster	0031	0031-PIC	0031-DOC
Remington: 770	0042	0042-PIC	0042-DOC
Rössler: Titan 16	0059	0059-PIC	0059-DOC
Rössler: Titan 6, Titan 3	0032	0032-PIC	0032-DOC
Ruger: American Rifle	0069	0069-PIC	0069-DOC
Sabatti: Rover (bolt action rifle)	0033	0033-PIC	0033-DOC
Sako: 75/85 (tapered prism)	0039	0039-PIC	0039-DOC
Sako: A7 / Steyr: SBS, Classic, CLII, SM12	0045	0045-PIC	0045-DOC
Sauer: 100/101 (DIFF=2,5) (up to SN A020554)	0051	0051-PIC	0051-DOC
Sauer: 100/101 (DIFF=3) (from SN A020555)	0051N	0051N-PIC	0051N-DOC
Sauer: 200	0074	0074-PIC	0074-DOC
Sauer: 202	0034	0034-PIC	0034-DOC
Sauer: 303	0044	0044-PIC	0044-DOC
Sauer: 80, 90, 92	0056	0056-PIC	0056-DOC

RIFLE MANUFACTURER, MODEL / FITS ALSO	GUN MODEL CODE	PRODUCT CODES FOR COMPLETE PIVOT MOUNTS	
		PICATINNY RAIL	DOCTER SIGHT
Steyr: Mannlicher (old models)	0036	0036-PIC	0036-DOC
Steyr: SBS, Classic, CLII, SM12 / Sako: A7	0045	0045-PIC	0045-DOC
Steyr: SSG 69 (18 mm prism)	0035	0035-PIC	0035-DOC
Tikka: T3	0040	0040-PIC	0040-DOC
Verney Carron: Impact Auto (DIFF=0)	0057X	0057X-PIC	0057X-DOC
Verney Carron: Impact Auto (DIFF=1,6)	0057	0057-PIC	0057-DOC
Voere	0075	0075-PIC	0075-DOC
Weatherby: Mark V, Europa, 300, Vanguard	0037	0037-PIC	0037-DOC
Winchester SXR / Browning: BAR I/II, CBL, Acera, Maral / Fabarm: Iris	0024	0024-PIC	0024-DOC
Winchester: 70 Standard, 770, Target (XTR)	0038	0038-PIC	0038-DOC
Winchester: 88, 100	0060	0060-PIC	0060-DOC
Winchester: XPR	0067	0067-PIC	0067-DOC
Zastava: M70 / Mauser: 98, 48 (w/o bulb)	0028	0028-PIC	0028-DOC
Zastava: Mini Mauser (M85)	0029	0029-PIC	0029-DOC

If you need pivot mount **without bases (only upper parts)**, you need to put prefix **049-** before product code for example **049-0029-PIC**

### Heights

In pivot mounts with picatinny rail and Docter Sight only one height is available, the lowest height determined by technical specification of the rifle and pivot mount system.

# PIVOT MOUNTS FOR NV AND THERMAL DEVICES



RIFLE MANUFACTURER, MODEL / FITS ALSO	GUN MODEL CODE	PRODUCT CODES FOR COMPLETE PIVOT MOUNTS FOR N/V AND THERMAL DE- VICES									
		ATN4K-1	ATNHD-1	D480-1	HIK-1	IRAY1	P008-1	P008S-1	PIXC-1	PUL-1	PUL-2
Anschutz: 54/64 (11 mm prism)	0058	0058-device_code									
Antonio Zoli: 1900	0021	0021-device_code									
Benelli: Argo	0022	0022-device_code									
Bergara: B14	0073	0073-device_code									
Browning: A-bolt 3	0065	0065-device_code									
Browning: A-bolt I/II, Eurobolt	0025	0025-device_code									
Browning: BAR I/II, CBL, Acera, Maral / Fabarm: Iris / Winchester SXR	0024	0024-device_code									
Browning: European	0026	0026-device_code									
Browning: X-Bolt	0047	0047-device_code									
CZ: 452/453/455/457/511/512/513 (11 mm prism)	0053	0053-device_code									
CZ: 527, ZKM, Fox, Hornet (16,5 mm prism)	0041	0041-device_code									
CZ: 550 - radius	0052	0052-device_code									
CZ: 550 / 601 ZKK short (19 mm prism)	0023SA	0023SA-device_code									
CZ: 550 Skandinavia	0054	0054-device_code									
CZ: 550, 557, 537, ZKK, 600, 601, 602 (19 mm prism)	0023	0023-device_code									
CZ: 600 / Remington 700, 78 / Haenel Jager 10 / Mauser M18 / Mauser: M12 (from SN 30000)	0030N	0030N-device_code									

RIFLE MANUFACTURER, MODEL / FITS ALSO	GUN MODEL CODE	PRODUCT CODES FOR COMPLETE PIVOT MOUNTS FOR N/V AND THERMAL DE- VICES										
		ATN4K-1	ATNHD-1	D480-1	HIK-1	IRAY1	P008-1	P008S-1	PIXC-1	PUL-1	PUL-2	PHO-1
Fabarm: Iris / Winchester SXR / Browning: BAR I/II, CBL, Acera, Maral	0024											0024-device_code
Franchi: Horizon	0071											0071-device_code
Haenel: Jager 10 / CZ 600 / Remington 700, 78 / Mauser M18 / Mauser: M12 (from SN 30000)	0030N											0030N-device_code
Heckler & Koch: SLB 2000	0027											0027-device_code
Heym: SR 30, SR 21 (new version)	0061											0061-device_code
Howa: 1500	0063											0063-device_code
Krico: 700, 900	0064											0064-device_code
Mauser: M18 / Haenel Jager 10 / CZ 600 / Remington 700, 78 / Mauser: M12 (from SN 30000)	0030N											0030N-device_code
Mauser: 98, 48 (without bulb) / Zastava: M70	0028											0028-device_code
Mauser: K98, M48 (with bulb)	0028B											0028B-device_code
Mauser: M12 (from SN 30000) / Mauser M18 / Haenel Jager 10 / CZ 600 / Remington 700, 78	0030N											0030N-device_code
Mauser: M12 (up to serial number 29999)	0066											0066-device_code
Mauser: M96	0055											0055-device_code
Merkel: SR 1	0046											0046-device_code
Merkel: SR 1 basic	0046B											0046B-device_code
Mossberg: Patriot	0070											0070-device_code
Remington: 700, 78 / Haenel Jager 10 / CZ 600 / Mauser M18 / Mauser: M12 (from SN 30000)	0030N											0030N-device_code
Remington: 783	0072											0072-device_code
Remington: 740, 742, 760	0062											0062-device_code
Remington: 7400, 7600, 750 Woodmaster	0031											0031-device_code
Remington: 770	0042											0042-device_code
Rössler: Titan 16	0059											0059-device_code
Rössler: Titan 6, Titan 3	0032											0032-device_code
Ruger: American Rifle	0069											0069-device_code
Sabatti: Rover (bolt action rifle)	0033											0033-device_code
Sako: 75/85 (tapered prism)	0039											0039-device_code
Sako: A7 / Steyr: SBS, Classic, CLII, SM12	0045											0045-device_code

RIFLE MANUFACTURER, MODEL / FITS ALSO	GUN MODEL CODE	PRODUCT CODES FOR COMPLETE PIVOT MOUNTS FOR N/V AND THERMAL DE- VICES									
		ATN4K-1	ATNHD-1	D480-1	HIK-1	IRAY1	P008-1	P008S-1	PIXC-1	PUL-1	PUL-2
Sauer: 100/101 (DIFF=2,5) (up to SN A020554)	0051	0051-device_code									
Sauer: 100/101 (DIFF=3) (from SN A020555)	0051N	0051N-device_code									
Sauer: 200	0074	0074-device_code									
Sauer: 202	0034	0034-device_code									
Sauer: 303	0044	0044-device_code									
Sauer: 80, 90, 92	0056	0056-device_code									
Steyr: Mannlicher (old models)	0036	0036-device_code									
Steyr: SBS, Classic, CLII, SM12 / Sako: A7	0045	0045-device_code									
Steyr: SSG 69 (18 mm prism)	0035	0035-device_code									
Tikka: T3	0040	0040-device_code									
Verney Carron: Impact Auto (DIFF=0)	0057X	0057X-device_code									
Verney Carron: Impact Auto (DIFF=1,6)	0057	0057-device_code									
Voere	0075	0075-device_code									
Weatherby: Mark V, Europa, 300, Van- guard	0037	0037-device_code									
Winchester SXR / Browning: BAR I/II, CBL, Acera, Maral / Fabarm: Iris	0024	0024-device_code									
Winchester: 70 Standard, 770, Target (XTR)	0038	0038-device_code									
Winchester: 88, 100	0060	0060-device_code									
Winchester: XPR	0067	0067-device_code									
Zastava: M70 / Mauser: 98, 48 (w/o bulb)	0028	0028-device_code									
Zastava: Mini Mauser (M85)	0029	0029-device_code									

If you need pivot mount **without bases (only upper parts)**, you need to put prefix **049-** before product code for example **049-0029-HIK-1**

### Heights

In pivot mounts for NV and Thermal devices only one height is available, the lowest height determined by technical specification of the rifle and pivot mount system.

# MOUNTS FOR BLASER

## RINGS



	26 (25.4)	30	34	35	36	40
PRODUCT CODE						
Height						
13		080-30-13				
15	080-26-15	080-30-15	080-34-15	080-35-15	080-36-15	080-40-15
17.5	080-26-17.5	080-30-17.5	080-34-17.5	080-35-17.5	080-36-17.5	080-40-17.5
20	080-26-20	080-30-20	080-34-20	080-35-20	080-36-20	
25		080-30-25				

## MOUNTING RAILS



	VM/ZM	LM	SR	SBC	Picatinny	base only
PRODUCT CODE	080-ZM	080-LM	080-SR	080-SBC	080-PIC1-L150	080-B

### Technical information

Rusan mounts for Blaser's Saddle socket are made out of high-grade steel. They are robust and reliable, with 100 % repeatability. To adjust the clamping force and to compensate tolerances (differences) from one barrel to another, the screws on the right side of the mount are used. If mount is switched from one barrel to another, it might be required to adjust the clamping force. Special construction of Quick-detach levers assures them to act as a self-locking levers, so no worry of unintentional opening of the levers. Recommended tightening torque for ring screws is 1.8 - 2.0 Nm.



## FOR NV AND THERMAL DEVICES



PRODUCT CODE	NV AND THERMAL DEVICE MODEL
080-ATNX-1	ATN X-sight 4K
080-HIK-1	HIKMICRO Thunder / Panther
080-IRAY-75	InfiRay Rico RS75
080-IRAY1	InfiRay Rico / Saim
080-IRTSE-25.4	InfiRay Tube SE (26 mm rings, extended)
080-IRTSE-30	InfiRay Tube SE (30 mm rings, extended)
080-IRTSE-B	InfiRay Tube SE (extended), base only w/o rings
080-P008-1	Pard NV008
080-P008S-1	Pard NV008S
080-PIXC-1	PixFra Chiron
080-PUL-1	Pulsar Trail2 / Digisight Ultra
080-PHOT-1	Yukon Photon

### Technical information

Rusan mounts for Blaser's Saddle socket are completely made out of high-grade steel. In some models, upper part which accommodates the NV/Thermal device, is made out of high grade aluminium alloy, to make complete mount lighter. They are robust and reliable, with 100 % repeatability. To adjust the clamping force and to compensate tolerances (differences) from one barrel to another, the screws on the right side of the mount are used. If mount is switched from one barrel to another, it might be required to adjust the clamping force. Special construction of Quick-detach levers assures them to act as a self-locking levers, so no worry of unintentional opening of the levers.

# MOUNTS FOR SAUER 404, 303 SUM

## RINGS



	26 (25.4)	30	34	35	36	40
<b>PRODUCT CODE</b>						
Height						
13		081-30-13				
15	081-26-15	081-30-15	081-34-15	081-35-15	081-36-15	081-40-15
17.5	081-26-17.5	081-30-17.5	081-34-17.5	081-35-17.5	081-36-17.5	081-40-17.5
20	081-26-20	081-30-20	081-34-20	081-35-20	081-36-20	
25		081-30-25				

## MOUNTING RAILS



	VM/ZM	LM	SR	SBC	Picatinny	base only
<b>PRODUCT CODE</b>	081-ZM	081-LM	081-SR	081-SBC	081-PIC1-L150	081-B

### Technical information

Rusan mounts for Sauer 404, 303 SUM are completely made out of high-grade steel. They are robust and reliable, with 100 % repeatability. To adjust the clamping force and to compensate tolerances (differences) from one barrel to another, the screws on the right side of the mount are used. If mount is switched from one barrel to another, it might be required to adjust the clamping force. Special construction of Quick-detach levers assures them to act as a self-locking levers, so no worry of unintentional opening of the levers. Recommended tightening torque for ring screws is 1.8 - 2.0 Nm.

## FOR NV AND THERMAL DEVICES



PRODUCT CODE	NV AND THERMAL DEVICE MODEL
081-ATNX-1	ATN X-sight 4K
081-HIK-1	HIKMICRO Thunder / Panther
081-IRAY-75	InfiRay Rico RS75
081-IRAY1	InfiRay Rico / Saim
081-IRTSE-25.4	InfiRay Tube SE (26 mm rings, extended)
081-IRTSE-30	InfiRay Tube SE (30 mm rings, extended)
081-IRTSE-B	InfiRay Tube SE (extended), base only w/o rings
081-P008-1	Pard NV008
081-P008S-1	Pard NV008S
081-PIXC-1	PixFra Chiron
081-PUL-1	Pulsar Trail2 / Digsight Ultra
081-PHOT-1	Yukon Photon

### Technical information

Rusan mounts for Sauer 404, 303 SUM are completely made out of high-grade steel. In some models, upper part which accommodates the NV/Thermal device, is made out of high grade aluminium alloy, to make complete mount lighter. They are robust and reliable, with 100 % repeatability. To adjust the clamping force and to compensate tolerances (differences) from one barrel to another, the screws on the right side of the mount are used. If mount is switched from one barrel to another, it might be required to adjust the clamping force. Special construction of Quick-detach levers assures them to act as a self-locking levers, so no worry of unintentional opening of the levers.

# MOUNTS FOR STEYR SSG 69

## RINGS



	26 (25.4)	30	34	35	36	40
<b>PRODUCT CODE</b>						
Height						
12		059-30-12				
14	059-26-14	059-30-14	059-34-14	059-35-14	059-36-14	059-40-14
16.5	059-26-16.5	059-30-16.5	059-34-16.5	059-35-16.5	059-36-16.5	059-40-16.5
19	059-26-19	059-30-19	059-34-19	059-35-19	059-36-19	
24		059-30-24				

## MOUNTING RAILS



	VM/ZM	LM	SR	SBC	Picatinny	base only
<b>PRODUCT CODE</b>	059-ZM-R	059-LM-R	059-SR-R	059-SBC-R	059-PIC-R	059-B

### Technical information

Rusan mounts for Steyr SSG 69 are completely made out of high-grade steel.

They are robust and reliable, with 100 % repeatability.

QR levers are adjustable and can be put in position as you like.

Recommended tightening torque for ring screws is 1.8 - 2.0 Nm.

# ROLL-OFF MOUNTS WITH EXTENSION PRISM 16.5 MM (CZ 527)

## RINGS

	26 (25.4)	30	34	35	36	40
PRODUCT CODE						
Height						
12	055-16.5-26-12-X	055-16.5-30-12-X				
14	055-16.5-26-14-X	055-16.5-30-14-X	055-16.5-34-14-X	055-16.5-35-14-X	055-16.5-36-14-X	055-16.5-40-14-X
19		055-16.5-30-19-X				
24		055-16.5-30-24-X				
24		059-30-24				

## MOUNTING RAILS

	VM/ZM	SR	LM
PRODUCT CODE	055-16.5-ZM-X	055-16.5-SR-X	055-16.5-LM-X

## BASES ONLY

PRODUCT CODE	055-16.5-BA-X
--------------	---------------

## FIXATION



X = R -> QUICK-RELEASE



X = V -> SCREW



X = M -> THUMB-SCREW

**Material:** High-grade steel, CNC machined from solid material, black oxide

**Recoil lug:** yes, 4 mm hardened steel bolt

**Fixation:** screw / thumb-screw / quick-release

QR levers are adjustable and can be put in position as you like  
**Fits:** prism 16.5 mm (CZ 527....)

Height is measured from top of the rail/prism to the bottom of the tube diameter/mounting rail

# ROLL-OFF MOUNTS WITH EXTENSION PRISM 19 MM (CZ 550/557)

## RINGS

	26 (25.4)	30	34	35	36	40
PRODUCT CODE						
Height						
12		055-19-30-13- <b>X</b>				
14	055-19-26-15- <b>X</b>	055-19-30-15- <b>X</b>	055-19-34-15- <b>X</b>	055-19-35-15- <b>X</b>	055-19-36-15- <b>X</b>	055-19-40-15- <b>X</b>
19	055-19-26-20- <b>X</b>	055-19-30-20- <b>X</b>				
24		055-19-30-25- <b>X</b>				
24		059-30-24				

## MOUNTING RAILS

	VM/ZM	SR	LM
PRODUCT CODE	055-19-ZM- <b>X</b>	055-19-SR- <b>X</b>	055-19-LM- <b>X</b>

## BASES ONLY

PRODUCT CODE	055-19-BA- <b>X</b>
--------------	---------------------

## FIXATION



**X = R** -> QUICK-RELEASE



**X = V** -> SCREW



**X = M** -> THUMB-SCREW

**Material:** High-grade steel, CNC machined from solid material, black oxide

**Recoil lug:** yes, milled from solid material (no insert)

**Fixation:** screw / thumb-screw / quick-release

QR levers are adjustable and can be put in position as you like

**Fits:** prism 19 mm (CZ 550/557...)

Height is measured from top of the rail/prism to the bottom of the tube diameter/mounting rail

# ROLL-OFF MOUNTS WITH EXTENSION

## TIKKA T3/T3X

### RINGS

	26 (25.4)	30	34	35	36	40
PRODUCT CODE						
Height						
12		055-T3-30-12- <b>X</b>				
14	055-T3-26-14- <b>X</b>	055-T3-30-14- <b>X</b>	055-T3-34-14- <b>X</b>		055-T3-36-14- <b>X</b>	055-T3-36-14- <b>X</b>
19		055-T3-30-19- <b>X</b>				
24		055-T3-30-24- <b>X</b>				
24		059-30-24				

### MOUNTING RAILS

	VM/ZM	SR	LM
PRODUCT CODE	055-T3-ZM- <b>X</b>	055-T3-SR- <b>X</b>	055-T3-LM- <b>X</b>

### BASES ONLY

PRODUCT CODE	055-T3-BA- <b>X</b>
--------------	---------------------

### FIXATION



**X = R** -> QUICK-RELEASE



**X = V** -> SCREW



**X = M** -> THUMB-SCREW

**Material:** High-grade steel, CNC machined from solid material, black oxide

**Recoil lug:** yes, 4 mm hardened steel bolt

**Fixation:** screw / thumb-screw / quick-release

QR levers are adjustable and can be put in position as you like

**Fits:** Tikka T3/T3x

Height is measured from top of the rail/prism to the bottom of the tube diameter/mounting rail

# MOUNTS FOR COMBINATION RIFLES (DOVETAIL)

## RINGS



Rifle code	Rifle (prism)	Height	26 (25.4)	30	34	35	36	40
014	Antonio Zoli (prism 11 mm)	17		014-30-17				
		19	014-26-19	014-30-19	014-34-19	014-35-19	014-36-19	014-40-19
		24	014-26-24	014-30-24				
017	Baikal IZH 94, 18 (prism 11,5 mm)	17		017-30-17				
		19	017-26-19	017-30-19	017-34-19	017-35-19	017-36-19	017-40-19
		24	017-26-24	017-30-24				
012	CZ 584 / Tatra (prism 13,5 mm)	17		012-30-17				
		19	012-26-19	012-30-19	012-34-19	012-35-19	012-36-19	012-40-19
		24	012-26-24	012-30-24				
015	Fair Combi, Sabatti, Bettinsoli (prism 11,5 mm)	17		015-30-17				
		19	015-26-19	015-30-19	015-34-19	015-35-19	015-36-19	015-40-19
		24	015-26-24	015-30-24				
013	ZH, Super Brno (prism 14,5 mm)	17		013-30-17				
		19	013-26-19	013-30-19	013-34-19	013-35-19	013-36-19	013-40-19
		24	013-26-24	013-30-24				



## MOUNTING RAILS



Rifle code	Rifle (prism)	VM/ZM	LM	SR	Picatinny	base only
014	Antonio Zoli (prism 11 mm)	014-ZM	014-LM	014-SR	014-PIC	014-B
017	Baikal IZH 94, 18 (prism 11,5 mm)	017-ZM	017-LM	017-SR	017-PIC	017-B
012	CZ 584 / Tatra (prism 13,5 mm)	012-ZM	012-LM	012-SR	012-PIC	012-B
015	Fair Combi, Sabatti, Bettinsoli (prism 11,5 mm)	015-ZM	015-LM	015-SR	015-PIC	015-B
013	ZH, Super Brno (prism 14,5 mm)	013-ZM	013-LM	013-SR	013-PIC	013-B

## FOR N/V AND THERMAL DEVICES



Rifle code	Rifle (prism)	YUKON PHOTON (30 mm extra high)	PARD NV008	ATN X-sight 4K (30 mm with extension)	Other by request
014	Antonio Zoli (prism 11 mm)	014-30-XH	014-P008	014-30-4K	014-xxx
017	Baikal IZH 94, 18 (prism 11,5 mm)	017-30-XH	017-P008	017-30-4K	017-xxx
012	CZ 584 / Tatra (prism 13,5 mm)	012-30-XH	012-P008	012-30-4K	012-xxx
015	Fair Combi, Sabatti, Bettinsoli (prism 11,5 mm)	015-30-XH	015-P008	015-30-4K	015-xxx
013	ZH, Super Brno (prism 14,5 mm)	013-30-XH	013-P008	013-30-4K	013-xxx

# PICATINNY MOUNTS FOR N/V AND THERMAL DEVICES (QUICK-RELEASE)



PRODUCT CODE	NV AND THERMAL DEVICE MODEL
058-B	base only
058-ATNX-1	ATN X-sight HD
058-ATNX-2	ATN X-sight 4K (total H 23 mm, rings H 5 mm)
058-ATNX-3	ATN X-sight 4K / X-sight 5 (total H 28 mm, rings H 10 mm)
058-D450-1	Dedal 450
058-D480-100-1	Dedal 180, 480/100
058-HIK-1	HIKMICRO Thunder / Panther
058-P008-1	Pard NV008
058-P008S-1	Pard NV008S
058-PHOT-1	Yukon Photon
058-PIXC-1	PixFra Chiron
058-PUL-1	Pulsar Apex / Digisight / Trail / Talion, Yukon Sightline
058-PUL-2	Pulsar Trail2 / Digisight Ultra
058-RICO-1	InfiRay Rico RH50
058-TD-1	Delta Optical Thermal Device TD-1
058-WG60	Bestguarder WG-60
058-XS-1	Xinfrared Xsight SL35/SL50/SH50
058-YSL1	Yukon Sightline N470/N475

## Technical information

**Material:** Base -> High-grade steel, CNC machined from solid material, black oxide. Upper part (adapter for NV/Thermal device) -> high grade aluminium alloy

**Recoil lug:** milled from solid material (no insert)

**Fixation:** QR levers - adjustable and can be put in position as you like

**Distance** Distance from first locking point to second 53 mm

**Fits:** Picatinny rails with minimum length of 90 mm

# WEAVER AND PICATINNY MOUNTS FOR MOUNTING RAILS (QUICK-RELEASE)

## PICATINNY, ONE-PIECE



PRODUCT CODE	MOUNTING RAIL
057-LM-R	One-piece quick-release mount - picatinny - LM rail
057-SR-R	One-piece quick-release mount - picatinny - SR rail
057-ZM-R	One-piece quick-release mount - picatinny - VM/ZM rail

## WEAVER, TWO-PIECE



PRODUCT CODE	MOUNTING RAIL
057-2-LM-R	Two-piece quick-release mount - weaver - LM rail
057-2-SR-R	Two-piece quick-release mount - weaver - SR rail
057-2-ZM-R	Two-piece quick-release mount - weaver - VM/ZM rail

### Technical information


**Material:** High-grade steel, CNC machined from solid material, black oxide

**Recoil lug:** milled from solid material (no insert)

**Fixation:** QR levers - adjustable and can be put in position as you like

# MOUNTS FOR MERKEL RX HELIX

## MOUNTING RAILS



PRODUCT CODE	MOUNTING RAIL
0581RXH-SR-R	SR rail
0581RXH-ZM-R	VM/ZM rail

## N/V AND THERMAL DEVICES



PRODUCT CODE	NV AND THERMAL DEVICE MODEL
0581RXH-HIK-1	HIKMICRO Thunder / Panther, one-piece
0581RXH-P008	Pard NV008
0581RXH-P008S	Pard NV008S
0581RXH-PUL-1	Pulsar Apex / Digisight / Trail / Talion, Yukon Sightline
0581RXH-PUL-2	Pulsar Trail2 / Digisight Ultra
0581RXH-SAIM	InfRay SAIM series

### Technical information

Merkel RX Helix basically has integrated weaver bases on the rifle housing. But spacing between these bases is pretty wide so regular one-piece weaver and picatinny mounts are not long enough. There is special, longer mount, made specifically to fit on Merkel RX Helix and similar rifles.

**Length** of the mount is **125 mm** and spacing between locking levers (center to center) is **110 mm**.

**Can be used also on Sako S20, CZ600 Alpha and Ergo, Haenel Jaeger NXT, Sabatti Sapphire.**

# MOUNTS FOR RED DOTS

## DOCTER / NOBLEX

SUITABLE FOR	PRODUCT CODE
Weaver/picatinny	052-W- <b>X</b>
Steyr SSG 69	052-SSG- <b>X</b>
Tikka T3	052-T3- <b>X</b>
prism 7	052-7- <b>X</b>
prism 9	052-9- <b>X</b>
prism 11-12 (Baikal, IŽ 18, A. Zoli, Bettinsoli)	052-11- <b>X</b>
prism 12 (Fair Combi, Sabatti)	052-12- <b>X</b>
prism 13-15 (ZH, Super Brno, CZ 584 Tatra)	052-14- <b>X</b>
prism 16-17 (CZ 527)	052-16- <b>X</b>
prism 19 (CZ 550)	052-19- <b>X</b>

## AIMPOINT MICRO

SUITABLE FOR	PRODUCT CODE
Weaver/picatinny	068-W- <b>X</b>

## VORTEX RAZOR

SUITABLE FOR	PRODUCT CODE
Weaver/picatinny	052VR-W- <b>X</b>

## ADAPTER PLATES FOR OTHER RED DOTS

SUITABLE FOR	PRODUCT CODE
Adapter for Aimpoint Acro on Docter Sight mount	068-APA-DS
Adapter for Aimpoint Micro on Docter Sight mount	068-APM-DS
Adapter for Kite K1 on Docter Sight mount	068-KK1-DS



**X = R** -> QUICK-RELEASE



**X = V** -> SCREW



**X = M** -> THUMB-SCREW

# SIDE MOUNTS FOR PAP/SKS

## COMPLETE MOUNT



PRODUCT CODE	Description/diameter
040-26	PAP/SKS, steel - rings 26 mm
040-30	PAP/SKS, steel - rings 30 mm
040-P	PAP/SKS, steel - picatinny rail

## UPPER PARTS (WITHOUT BASE)



PRODUCT CODE	Description/diameter
040-0-P	Picatinny rail for side mount for PAP/SKS, steel

# SIDE MOUNTS FOR SWISS K31

## COMPLETE MOUNT



PRODUCT CODE	Description/diameter
053-26	Swiss K31 - 26 mm
053-30	Swiss K31 - 30 mm

## UPPER PARTS (WITHOUT BASE)



PRODUCT CODE	Description/diameter
053-WOB-26	Swiss K31 - 26 mm
053-WOB-30	Swiss K31 - 30 mm





# PICATINNY RAILS

All Rusan picatinny rails in this section are made out of high-grade steel, black oxide coated with semi-glossy surface finish. Rails are made according to MIL-STD-1913 standard (slots are 5,3 mm wide with equal spacing of 10 mm, across the whole length of the rail).

Product code

**010-xx (0 MOA)**


If available, rail can be ordered with inclination, than ordering code is as follows

10 MOA -> 010-xx-**10MOA**  
20 MOA -> 010-xx-**20MOA**


30 MOA -> 010-xx-**30MOA**  
40 MOA -> 010-xx-**40MOA**

Example: Rail 010-18-SA with 20 MOA has product code 010-18-SA-20MOA


## Fixing method




1  
With countersink screws  
-> into original mounting  
threads on rifle housing



2  
With set screws  
-> no mounting  
holes/threads on the rifle




3  
Quick-releas  
rail with  
Quick-release levers



4  
No holes  
-> gunsmith needs  
to drill the rail

Fixing screws are included with each rail.


## Rail type/ shape



**\*Disclaimer** Some rails (for rifles with prism/dovetail) might need fine tuning/adjustment by a gunsmith to be able to mount it on the rifle. **Recommended mounting torque** countersink screws = 2,7 – 3,3 Nm ; set screws = 2,5 – 2,6 Nm

The images shown are for illustration purposes only and may not be an exact representation of the product.

# PICATINNY RAILS



RIFLE MANUFACTURER /MODEL	PRODUCT CODE (0 MOA)	10 MOA	20 MOA	30 MOA	40 MOA	A (mm)	B (mm)	C (mm)	L (mm)	Fits also	Rail type/shape	Fixing method	*Disclaimer
Anschütz 54/64 (B=76,2)	010-31	•	•			12,7	76,2	12,7	140		2	I	
Anschütz 54 (B=72)	010-31-72					12,7	72	12,7	140		2	I	
Antonio Zoli 1900	010-42					22	95,8	12,7	140		1	I	
Antonio Zoli Combi	010-03-AZ					set screws			65		3	II	*
Arttech Prima, Prima XP, Prima SP - 1. version	010-62					21,9	63,4	21,9	146		1	I	
Baikal IZH 18, IZH 94	010-02					set screws			65		3	II	*
Baikal IZH 18, IZH 94 EXT	010-02-EXT-F					set screws			135		4	II	*
Baikal MP-221 Artemida	010-02-2					set screws			65		3	II	*
Baikal MP-221 Artemida EXT	010-02-2-EXT-F					set screws			135		4	II	*
Benelli Argo	010-05					12,7	81	12,7	130	Browning Bar/Maral, Fabarm Iris, Winchester SXR	1	I	
Benelli Argo - EXT	010-05-EXT		•			12,7	81	12,7	165	Browning Bar/Maral, Fabarm Iris, Winchester SXR	1	I	
Benelli Lupo	010-64					21,9	96,8	21,9	165		1	I	
Bergara APEX radius 14	010-50-2					22	20	22	115		1	I	
Bergara APEX radius 14 - EXT	010-50-EXT-2					22	20	22	140		5	I	
Bergara B14 LA	010-48-LA	•	•			21,9	113,8	15,4	160		1	I	
Bergara B14 SA	010-48-SA		•			21,9	92,3	15,4	140		1	I	
Bergara BA13 radius 12.7	010-50-1					22	20	22	115		1	I	

RIFLE MANUFACTURER /MODEL	PRODUCT CODE (0 MOA)	10 MOA	20 MOA	30 MOA	40 MOA	A (mm)	B (mm)	C (mm)	L (mm)	Fits also	Rail type/shape	Fixing method	*Disclaimer
Bergara BA13 radius 12.7 - EXT	010-50-EXT-1					22	20	22	140		5	I	
Bettinsoli combi	010-03					set screws			65	Fair combi, Sabatti	3	II	*
Bettinsoli combi - EXT	010-03-EXT-F					set screws			135	Fair combi, Sabatti	4	II	*
Browning A-bolt 3 - long action	010-36-LA					21,8	98,1	21,8	150		1	I	
Browning A-bolt 3 - short action	010-36-SA					21,8	82,5	21,8	140		1	I	
Browning A-bolt I/II, Eurobolt - long action	010-13-LA		•			21,9	98	21,9	160		1	I	
Browning A-bolt I/II, Eurobolt - short action	010-13-SA		•			21,9	79,1	21,9	140		1	I	
Browning Bar/Maral	010-05					12,7	81	12,7	130	Benelli Argo, Fabarm Iris, Winchester SXR	1	I	
Browning Bar/Maral - EXT	010-05-EXT		•			12,7	81	12,7	165	Benelli Argo, Fabarm Iris, Winchester SXR	1	I	
Browning BLR - short action	010-05-BLR-SA					12,7	71,5	12,7	130		1	I	
Browning European - long action	010-59-LA					21,9	98	21,9	155		1	I	
Browning X-Bolt - long action	010-16-LA					17,8	93,8	17,8	160		1	I	
Browning X-Bolt - long action - EXT	010-16-LA-EXT					17,8	93,8	17,8	200		1	I	
Browning X-Bolt - magnum	010-16-MA					17,8	99	17,8	150		1	I	
Browning X-Bolt - short action	010-16-SA		•			17,8	74,7	17,8	140		1	I	
Browning X-Bolt - short action - EXT	010-16-SA-EXT					17,8	74,7	17,8	165		1	I	
Browning X-Bolt - super short action	010-16-SSA					17,8	71,7	17,8	130		1	I	
CZ 452 / 453 / 455 / 457 / 511 / 512 / 513	010-35		•	•		set screws			115		2	II	*
CZ 457 / 511 / 512 - EXT to rear	010-35-EXT1					set screws			135		5	II	*
CZ 452 / 453 / 455 / 457 / 511 / 513 - EXT to front	010-35-EXT2					set screws			135		5	II	*
CZ 512	010-35-512					set screws			145		2	II	*
CZ 527	010-32					set screws			105		2	II	*
CZ 527 EXT to front	010-32-EXT2					set screws			140		5	II	*
CZ 550, 557 / 600 ZKK - medium, quick-release	010-14-R					Quick-release			150		6	III	

RIFLE MANUFACTURER /MODEL	PRODUCT CODE (0 MOA)	10 MOA	20 MOA	30 MOA	40 MOA	A (mm)	B (mm)	C (mm)	L (mm)	Fits also	Rail type/shape	Fixing method	*Disclaimer
CZ 550 with radius R1=R2=17	010-14-2					22,2	92,8	22,2	150		1	I	
CZ 584 / Tatra	010-01					set screws			65		3	II	*
CZ 584 / Tatra - EXT	010-01-EXT-F					set screws			135		4	II	*
CZ 600 LUX - long action	010-15-LA		•			21,9	113,9	15,3	160	Remington 700, Mauser M18, Mauser M12 (from SN. 30000)	1	I	
CZ 600 LUX - short action	010-15-SA	•	•			21,9	92,2	15,3	150	Remington 700	1	I	
CZ 600 LUX - mini (223 REM / 7,62x39)	010-15-CZ600MINI					15,3	77,3	21,9	130		1	I	
Fabarm Iris	010-05					12,7	81	12,7	130	Benelli Argo, Browning Bar/Maral, Winchester SXR	1	I	
Fair Combi	010-03					set screws			65	Bettinsoli, Fair Combi	3	II	*
Fair Combi - EXT	010-03-EXT-F					set screws			135	Bettinsoli, Fair Combi	4	II	*
Franchi Horizon	010-47					21,9	107,6	15,3	155		1	I	
Haenel Jaeger.10 (from SN. JX-000921)	010-27					21,9	113,5	15,3	165		1	I	
Haenel SLB 2000+	010-22					21,9	98,5	30,8	165	Heckler & koch SLB 2000, Merkel SR1 Basic	1	I	
Heckler & koch 630/770/940	010-53-1					x	75	x	100		2	I	
Heckler & koch SLB 2000	010-22					21,9	98,5	30,8	165	Haenel SLB 2000+, Merkel SR1 Basic	1	I	
Heym SR21 (round top)	010-66					12,7	111	21,9	160		1	I	
Howa 1500 - long action	010-19-LA		•		•	21,9	114	15,3	160		1	I	
Howa 1500 - short action	010-19-SA		•		•	21,9	98,6	15,3	150		1	I	
Krico 700/900/902	010-55-1					21,9	103,4	12,7	150		1	I	
Marlin Marlin (lever action)	010-07					12,7	69,9	12,7	135		1	I	
Mauser K98 - without bulb, with holes	010-37		•			22	105	13	148		1	I	
Mauser K98 - with bulb, with holes	010-38		•			22	105	13	148		1	I	
Mauser K98 - without bulb, without holes	010-09					no holes			148	Zastava M48	1	IV	
Mauser K98 - with bulb, without holes	010-33					no holes			148	Zastava M48	1	IV	
Mauser M12 (from SN. 30000)	010-15-LA		•			21,9	113,9	15,3	160	Remington 700, CZ 600 LUX, Mauser M18	1	I	
Mauser M12 (up to SN. 29999)	010-39					21,8	101,7	12,8	148		1	I	

RIFLE MANUFACTURER /MODEL	PRODUCT CODE (0 MOA)	10 MOA	20 MOA	30 MOA	40 MOA	A (mm)	B (mm)	C (mm)	L (mm)	Fits also	Rail type/shape	Fixing method	*Disclaimer
Mauser M18	010-15-LA		•			21,9	113,9	15,3	160	Remington 700 , CZ 600 LUX, Mauser M12 (from serial number 30000)	1	I	
Merkel SR1	010-56					22	88,5	15,3	150		1	I	
Merkel SR1 Basic	010-22					21,9	98,5	30,8	165	Haenel SLB 2000+, Heckler & koch SLB 2000	1	I	
Mossberg Patriot - long action	010-52-LA					21,9	119,4	15,3	165		1	I	
Mossberg Patriot - short action	010-52-SA		•			21,9	105,9	15,3	150		1	I	
Remington 700 - long action	010-15-LA		•			21,9	113,9	15,3	160	CZ 600 LUX, Mauser M12 (from SN. 30000), Mauser M18	1	I	
Remington 700 - short action	010-15-SA	•	•			21,9	92,2	15,3	150	CZ 600 LUX	1	I	
Remington 740, 742, 760	010-43					21,9	41,8	15,3	140		1	I	
Remington 7400/7600/750 Woods-master	010-06		•			21,9	52	15,3	130		1	I	
Remington 770	010-20					19,1	62,5	19,1	140		1	I	
Remington 783 - long action	010-51-LA					21,9	90	21,9	150		1	I	
Remington 783 - short action	010-51-SA					21,9	82,4	21,9	140		1	I	
Roessler Titan 16	010-26					21,9	114	15,3	165		1	I	
Roessler Titan 3/Titan 6	010-17					21,9	110	21,9	165		1	I	
Roessler Titan 3/Titan 6 - EXT	010-17-EXT					21,9	110	21,9	200		1	I	
Ruger American Rifle - long action	010-41-LA		•			21,8	89,9	21,8	145		1	I	
Ruger American Rifle - short action	010-41-SA		•			21,8	76,5	21,8	130		1	I	
Sabatti combi	010-03					set screws			65	Bettinsoli, Sabatti	3	II	*
Sabatti combi - EXT	010-03-EXT-F					set screws			135	Bettinsoli, Sabatti	4	II	*
Sabatti Rover - long action	010-29-LA	•	•			21,8	102,5	15,2	150		1	I	
Sabatti Rover - short action	010-29-SA2		•			21,8	87,5	15,2	140		1	I	
Sabatti Rover - short action	010-29-SA-85.85					21,8	85,9	15,2	140		1	I	
Sako 75 I / II / III; 85 XS / SM / S tapered dovetail	010-54-1					set screws			160		2	II	
Sako 75 IV / V; 85 M / L tapered dovetail	010-54-2					set screws			180		2	II	

RIFLE MANUFACTURER /MODEL	PRODUCT CODE (0 MOA)	10 MOA	20 MOA	30 MOA	40 MOA	A (mm)	B (mm)	C (mm)	L (mm)	Fits also	Rail type/shape	Fixing method	*Disclaimer
Sako A7 model M - long action	010-28-LA		•			21,8	95,6	21,8	160		1	I	
Sako A7 model S - short action	010-28-SA		•			21,8	84,8	21,8	140		1	I	
Sauer 100/101 - DIFF=2,5 (up to SN. A020554)	010-25-1		•			21,8	113,9	15,3	160		1	I	
Sauer 100/101 - DIFF=3 (from SN. A020555)	010-25-2		•			21,9	113,9	15,3	160		1	I	
Sauer 200 - long action	010-63-LA					21,8	100,2	21,8	160		1	I	
Sauer 202 - magnum	010-11-MAG					21,9	100,2	21,9	160		1	I	
Sauer 202 - standard	010-11-STD		•			21,9	94,2	21,9	150		1	I	
Sauer 303 (ISI rail, rifles made until 2018.)	010-61					set screws			140		2	II	*
Sauer 80/90/92	010-58					22	89,4	22	150		1	I	
Sauer 80/90/92 - magnum	010-58-2					22	107,4	22	165		1	I	
Savage 116 - flat top	010-46-1		•			22	117,5	22	170		1	I	
Savage Axis	010-46-4					21,9	109,8	21,9	165		1	I	
Savage B17, B22, B22LR	010-46-2					12,7	78,7	12,7	130		1	I	
Savage Mod 93, Mark II	010-46-3					12,8	85	12,8	150		1	I	
Steyr Mannlicher (old model)	010-30-101.8					10	101,8	10	140		1	I	
Steyr Mannlicher (old model)	010-30-100.3					10	100,3	10	140		1	I	
Steyr Mannlicher (old model)	010-30-81.8					10	81,8	10	115		1	I	
Steyr Mannlicher (old model)	010-30-88					10	88	10	140		1	I	
Steyr SBS 96	010-57					10	104,8	10	140		1	I	
Steyr SBS, Classic, CLII, SM12 - long action	010-18-LA					21,9	83	21,9	160		1	I	
Steyr SBS, Classic, CLII, SM12 - long action B=69	010-18-LA-69					21,9	69	21,9	140		1	I	
Steyr SBS, Classic, CLII, SM12 - magnum	010-18-MA					21,9	87,5	21,9	160		1	I	
Steyr SBS, Classic, CLII, SM12 - short action	010-18-SA		•	•		21,9	76	21,9	140		1	I	
Steyr SBS, Classic, CLII, SM12 - short action B=62	010-18-62					21,9	62	21,9	140		1	I	
Steyr SBS, Classic, CLII, SM12 - short action B=73,5	010-18-SA1					21,9	73,5	21,9	140		1	I	

RIFLE MANUFACTURER /MODEL	PRODUCT CODE (0 MOA)	10 MOA	20 MOA	30 MOA	40 MOA	A (mm)	B (mm)	C (mm)	L (mm)	Fits also	Rail type/shape	Fixing method	*Disclaimer
Steyr SBS, Classic, ProHunter (.223) - super short action	010-18-SSA1					21,9	56	21,9	140		1	I	
Steyr SSG 69	010-10		•			set screws			150		2	II	*
Steyr SSG 69 Match PIII - 2 holes	010-10-P3		•			x	106,8	x	160		1	I	
Steyr SSG 69, quick-release	010-10-R					Quick-release			150		6	III	
Tikka T1X	010-12-T1X		•			21,8	63,8	21,8	123		2	I	
Tikka T3 - left/right	010-12		•	•		21,9	82,2	21,9	165		2	I	
Verney Carron Impact - height difference 0 mm	010-40					21,9	97	13	150		1	I	
Voere LBW - EXT	010-65					24	68	29	160		1	I	
Weatherby Mark V	010-24-1					21,9	113,8	15,3	160		1	I	
Winchester 70 - long action	010-45-LA					21,9	96,6	21,9	155		1	I	
Winchester 70 - short action	010-45-SA					21,9	82,8	21,9	140		1	I	
Winchester 70 WSM	010-45-WSM					21,9	89,3	21,9	150		1	I	
Winchester 70 WSSM	010-45-WSSM					21,9	81,7	21,9	145		1	I	
Winchester SXR	010-05					12,7	81	12,7	130	Benelli Argo, Browning Bar/Maral, Fabarm Iris	1	I	
Winchester XPR - long action	010-44-LA					21,9	98	21,9	160		1	I	
Winchester XPR - short action	010-44-SA					21,9	85,1	21,9	140		1	I	
Zastava ARMS MP2N / MP99	010-60					17	49	30	115		1	I	
Zastava M70	010-08		•			22	97	13	97		1	I	
Zastava M48 - without bulb, with holes	010-37-100					22	100	13	148		1	I	
Zastava M48 - with bulb, with holes	010-38-100					22	100	13	148		1	I	
Zastava M48 - without bulb, without holes	010-09					no holes			148	Mauser K98	1	IV	
Zastava M48	010-33					no holes			148	Mauser K98	1	IV	
Zastava Mini Mauser - M85	010-21					15,8	72,9	9,5	112		1	I	
Zastava Mini Mauser - M85 - EXT to front	010-21-EXT2					15,8	72,9	9,5	150		1	I	
ZH Super Brno	010-04					set screws			65		3	II	*
ZH Super Brno - EXT	010-04-EXT-F					set screws			135		4	II	*

# WEAVER BASES (PAIR)




RIFLE MANUFACTURER/ MODEL	PRODUCT CODE	FITS ALSO	LENGHT OF FRONT BASE	LENGHT OF REAR BASE
Anschutz 54/64 (11 mm prism)	054-0058		34	24
Antonio Zoli: 1900	054-0021		55	23
Benelli: Argo	054-0022		55	23
Browning: A-bolt 3	054-0065		55	30
Browning: A-bolt I/II, Eurobolt	054-0025		38	38
Browning: BAR I/II, Maral	054-0024	Fabarm Iris, Winchester SXR	55	23
Browning: X-Bolt	054-0047		55	32
CZ 600	054-0030	Remington 700, 78, Mauser M18, Mauser M12 (from SN. 30000)	55	23
Fabarm: Iris	054-0024	Browning Bar/Maral, Winchester SXR	55	23
Franchi Horizon	054-0071		55	30
Haenel Jaeger.10	054-0043		55	23
Howa: 1500	054-0063		55	23
Krico 700/900/902	054-0064		55	26
Mauser M12 (from SN. 30000)	054-0030	Remington 700 , 78, CZ 600 LUX, Mauser M18	55	23
Mauser M18	054-0030	Remington 700 , 78, CZ 600 LUX, Mauser M12 (from serial number 30000)	55	23
Mauser: 98, 48 without bulb	054-0028	Zastava: M70	55	23
Mauser: K98, M48 (with bulb)	054-0028B		55	23
Mauser: M12 (up to serial number 30000)	054-0066		55	23
Merkel: SR 1	054-0046		55	25
Mossberg Patriot	054-0070		55	23



RIFLE MANUFACTURER/ MODEL	PRODUCT CODE	FITS ALSO	LENGHT OF FRONT BASE	LENGHT OF REAR BASE
Remington: 700, 78	054-0030	CZ 600 LUX, Mauser M12 (from SN. 30000), Mauser M18	55	23
Rössler: Titan 6, Titan 3	054-0032		55	30
Ruger American Rifle	054-0069		55	30
Sabatti: Rover (bolt action rifle)	054-0033		55	25
Sako: A7	054-0045	Steyr: SBS, Classic, CLII, SM12	55	30
Sauer: 100/101 (DIFF=2,5)	054-0051		55	23
Sauer: 100/101 (DIFF=3)	054-0051N		55	23
Sauer: 202	054-0034		55	30
Sauer: 80, 90, 92	054-0056		55	30
Steyr: Mannlicher (old models)	054-0036		30	26
Steyr: SBS, Classic, CLII, SM12,	054-0045	Sako: A7	55	30
Verney Carron: Impact Auto (DIFF=1,6)	054-0057		35	25
Weatherby: Mark V, Europa, 300, Vanguard	054-0037		55	23
Winchester 94	054-W94		25	15,5
Winchester SXR	054-0024	Browning Bar/Maral, Fabarm Iris	55	23
Winchester XPR	054-0067		55	30
Winchester: 70 Standard, 770, Target (XTR)	054-0038		55	30
Winchester: 88, 100	054-0060		38	38
Zastava: M70 without bulb	054-0028	Mauser: 98, 48 without bulb	55	23
Zastava: Mini Mauser (M85)	054-0029		25	20



# OTHER PRODUCTS



**Muzzle brakes**  
in many calibers, threads, diameters



**Cartridge dummies**  
for shotguns



**Cleaning accessories**  
rods, jags, patches



**Trigger systems for Mauser 98, Zastava M70/M48**  
With side safety or W/O side safety ; Black, nickel plated, gold plated




**Tuning parts for Mauser 98,  
Zastava M70/M48**



**Mechanical sights for rifles and  
shotguns**



CROATIA



SCAN ME

PDF catalogue  
latest version



SCAN ME

web page

Follow us at

 Rusan - Mikron doo

 RUSAN - MIKRON d.o.o.

 rusan.mikron